deep system are practically not dilated but an anastomosis is rapidly established between deep and superficial lymph vessels. These anastomoses are gradually dilated and transport the lymph from the deep lymphatic system below the site of transplantation.

Comment: This work confirms that the restoration of circulation in the transplanted extremity is made possible by a regeneration of the superficial lymphatic system whereas the regeneration of the deep system is much slower or does not take place at all.

P. MÁLEK

INTERNATIONAL SOCIETY OF LYMPHOLOGY

The International Society of Lymphology was founded on July 19, 1966 at Zurich, Switzerland

Chartermembers: A. Akovbiantz, Zurich A. Baert, Leuven A. Belan, Prague

J. Casley-Smith, Adelaide C. M. Chavez, Jackson, Miss. J. M. Collette, Charleroi

A. Dumont, New York
A. Engeset, Oslo

U. Fisch, Zurich H. W. Fischer, Eloise, Mich.

M. Földi, Szeged W. A. Fuchs, Berne

W. Gerteis, Dusseldorf S. Godart, Brussels J. Gruwez, Leuven

F. Heinzel, Zurich

O. Ishida, Osaka

J. B. KINMONTH, London

P. R. KOEHLER, St. Louis, Mo. S. Kubik, Zurich

P. Málek, Prague H. Mislin, Basel A. Rüttimann, Zurich

B. Schaffer, Philadelphia, Pa.

M. Schamaun, Zurich P. Sträuli, Zurich B. Tjernberg, Uppsala

S. A. Threefoot, New Orleans, La.

M. VIAMONTE, Miami, Fla. M. Wiljasalo, Helsinki W. Wirth, Zurich

The aims of the society are:

Stimulation and strengthening of experimental and clinical investigation in lymphology

Establishment of relations between basic researchers and clinicians working in the field of lymphology

Furtherance of personal contact and exchange of ideas between the different lymphologists.

The society plans

to organise biannual international symposia dealing with lymphology, to be held simultaneously with a general assembly of the society.

to supply information concerning the status of lymphology in all scientific disciplines through a publication which would centralise information on lymphology in the form of abstracts: