RUDJER BOŠKOVIĆ INSTITUTE RADIOCARBON MEASUREMENTS III

DUŠAN SRDOČ, ADELA SLIEPČEVIC,* and JOSIP PLANINIC**

Rudjer Bošković Institute, P O B 1016, 41001 Zagreb, Yugoslavia

The following list contains dates of samples measured since our previous list (R, 1973, v 15, p 435-441). As before, age calculations are based on the Libby half-life 5568 ± 30 yr, and reported in years before 1950. The modern standard is 0.950 of the activity of NBS oxalic acid.

Before combustion, wood and charcoal were treated with 4% HCl. Samples of soil with high percentage of limestone were treated with 50% HCl. Samples containing recent carbon (mold, rootlets) were boiled in 4% NaOH. The counting method is essentially the same as described in R, 1971, v 13, p 135-140. Sample descriptions were prepared with collectors and submitters. The errors quoted correspond to 1σ variation of sample net counting rate and do not include the uncertainty in ¹⁴C half-life. Data are not corrected for isotopic fractionation. The recent activity of speleothems (dripstones) is assumed to be 85% of modern samples; therefore 1305 yr was subtracted from the radiocarbon age (Münnich and Vogel, 1959).

ACKNOWLEDGMENTS

We thank E Hernaus for preparation of samples and methane synthesis, B Obelić, and B Novak for data processing, and V Andreić for construction and maintenance of gas lines and electronics.

I. ARCHAEOLOGIC SAMPLES

Selevac series

Charred grain (*Triticum* sp) from a baked earth receptacle that rested on lowest occupation floor, underlying several occupation levels and overlying ashy layer devoid of artifacts, in Sonda S-VII at Selevac, loc "Staro Selo", near Smederevska Palanka (44° 30' N, 20° 53' E), N Serbia. Site spans most of Serbian Middle and Late Neolithic sequence. Figurine found in receptacle, the only artifact, is diagnostic of Vinča "A" at type site. Coll 1970 by Radovan Milošević and Vojislav Novaković, Nat Mus Smederevska Palanka, and subm by A McPherron, Univ Pittsburgh.

		6113 ± 80
Z-233A.	Selevac	4163 вс

Whole unbroken grains treated with 4% HCl and 4% NaOH.

Z-233B. Selevac

 6152 ± 90 4202 BC

Whole unbroken grains without chemical treatment; mean value of 2 measurements.

* Faculty of Veterinary Medicine, Univ Zagreb, Yugoslavia

** Faculty of Pharmacy and Biochemistry, Univ Zagreb, Yugoslavia

 6366 ± 100 4416 вс

Z-233. Selevac Rest of sample, treated with 4% HCl and 4% NaOH. Comments (DS): while both samples gave very close dates, whole-grains samples are regarded as more reliable; (AM): date confirms early position of occupation level in Vinča sequence.

Z-234. Varaždinske toplice

 283 ± 60 AD 1667

Fragments of wood from draw-well 2m below surface (46° 14' N, 14° 05' E). Sample coll 1973 by Marcel Gorenc, Archaeol Mus, Zagreb.

> 1533 ± 75 AD 417

Z-269. Varaždinske toplice Fragments of charred wood, remains of rafter from NW capitol of early Roman imperial settlement Aquae Jasae (46° 14' N, 14° 05' E). Coll 1973 and subm by Marcel Gorenc. 430 ± 60

Z-236. Hutovo Blato

ad 1520

Fragment of wooden boat (Quercus) 11m below surface, spring Desilo, Hutovo Blato (43° 3' N, 17° 45' E) near Čapljina, Hercegovina. Coll 1972 and subm by Vukosava Atanacković-Salčić, Inst Protection Cultural Monuments, Regional Center, Mostar.

Hrvatska Dubica series

Fragments of wooden boat from muddy bed of Una R near Hrvatska Dubica (45° 11' N, 16° 49' E) Croatia. Coll 1973 and subm by Members Regional Inst Protection Cultural Monuments, Zagreb.

-		541 ± 60
Z-251. Hrvatska Du	bica I	ad 1409
		417 ± 60
Z-255. Hrvatska Du	bica II	ad 1533
		1759 ± 55
Z-256. Bosanska Gradiš	ka	ad 191

Fragment of wooden boat from sandy bed of Jablanica R NW of Bosanska Gradiška (45° 7' 30" N, 17° 11' 30" E). Coll 1973 and subm by Drago Malešević, Bosanska Gradiška.

 320 ± 60 AD 1630

AD 1756

Z-257. Dubrovnik, Knežev dvor

Wooden pillar from foundation of Duke's Palace (Knežev Dvor). Found during restoration of palace. Date important for chronology of building. 194 ± 60

Z-260. Lopar

Charcoal from hearth, Lopar (44° 51' N, 14° 43' E) on Rab I. Coll 1972 and subm by Vjeko Legac, Rab.

Z-261. Maslovare

Z-262. Vlasac I

Z-267. Vlasac II

Charcoal from layer in Illyrian iron melting-furnace in Blagaj near Bosanski Novi (45° 0' N, 16° 25' E). Depth: 2m below dross layer in gray clay. Coll 1973 and subm by Djuro Basler, Regional Mus, Sarajevo. *Comment* (Dj B): expected age: 70 BC to AD 50.

Vlasac series

Charcoal from archaeol excavation of Mesolithic settlement Vlasac (44° 32' N, 22° 3' E) near Donji Milanovac. Settlement discovered during construction of Djerdap hydro-electric power plant. Coll 1970 and subm by Dragoslav Srejović and Zagorka Letica, Fac Arts & Sci, Archaeol Dept, Belgrade.

> 7000 ± 90 5050 вс

Charcoal from hearth, House I, Sonda A, Level XXVI, depth 4.1m below surface, oldest horizon. Comment (DS): dates agree with expected period (Mesolithic, 7-6th millennium BC).

		6335 ± 92
Z-264.	Vlasac I	4385 вс

Charcoal from Burial 54, Quad A/17, Level XI.

7559	±	93
5609	BC	

Charcoal below Hearth 16. Comment (DS): expected age: end of Mesolithic, 7-6th millennium BC.

		6713 ± 909
Z-268.	Vlasac ?	4763 вс

Charcoal from Burial 11, Quad a/6, Level VII.

 317 ± 65 AD 1579

Fragments of charred wood (Pinus) from sand at depth 35m, Vela Svitnja, Vis bay (43° 04' N, 16° 12' E), Vis I. Coll 1973 and subm by Nenad Cambi, Archaeol Mus, Split.

Z-283. Ščitarjevo

Z-270. Vela Svitnja

 1949 ± 77 AD 1

Charcoal from cult fireplace in burial place, Block 7, depth 1m, in Roman municipality Andautonia near Zagreb (45° 46' N, 16° 00' E). Coll 1973 and subm by Branka Vikić and Marcel Gorenc, Archaeol Mus, Zagreb.

Nin series, Croatia

Fragments of wooden ship from sea under muddy sand at 2m depth at Ždrijac, port of Nin (44° 15' N, 15° 15' E). Coll 1973 and subm by Zdenko Brusić and Božidar Vilhar, Archaeol Mus, Zadar.

1944 ± 83 AD 6

	961 ± 64
Z-296. Nin I	ad 989
Hull fragments.	
8	937 ± 71
Z-297. Nin II	ad 1013
Hull fragments of same ship.	
	1177 ± 80
Z-298. Nin III	ad 773
Fragments of wooden rib from same ship.	

Z-299. Slavonski Brod

Fragments of wood assoc with steppe elephant (*parelephas trogon-therii*) skull from Glogovica channel near Slavonski Brod (45° 10' N, 18° 02' 30" E). Coll 1973 and subm by Mirko Malez, Yugoslav Acad Sci, Zagreb. **2735 ± 100**

Z-306. Hruševje

Fragments of driftwood, Hruševje near Postojna (45° 46' N, 14° 07' 15" E). Date determines period of accumulation of driftwood in Nanošca creek valley. Coll 1973 and subm by Alojz Šercelj, Slov Acad Sci & Arts, Ljubljana.

Z-307. Loče

7150 ± 100 5200 вс

785 вс

>35,000

Fragments of driftwood, Loče near Slovenska Bistrica (46° 22′ 45″ N, 15° 33′ 30″ E). Date determines period of accumulation of driftwood in Ložnica creek valley. Coll 1973 and subm by Alojz Šercelj.

Ljubljansko Barje series

Wood fragments from ash (Fraxinus) pilings of pile houses from Ljubljansko Barje peat bog (45° 58' N, 14° 32' E), Slovenia. Potsherds, estimated age, 3800 yr old, assoc with fragments.

4633 ± 117 2683 вс
4345 ± 113 2395 вс
4964 ± 99 3104 вс
4701 ± 104 2751 bc

Kaptol series

Charcoal from rectangular charcoal-filled trench in prehistoric Barrow I in Kaptol village near Požega (45° 26' N, 17° 44' E). Results important for chronology of Early Iron age of Požega Valley. Coll 1973 and subm by Vera Vejvoda and Ivan Mirnik, Archaeol Mus, Zagreb.

Dušan Srdoč, Adela Sliepčevic, and Josip Planin	<i>ic</i> 153
Z-316. Kaptol 1	2626 ± 90 676 вс
Z-317. Kaptol 2	2294 ± 97 644 вс
II. GEOLOGIC SAMPLES	
Grapa series, Slovenia	
Calcite from stalagmite, Grapa Cave (46° 49' N, 14° Belsko. Coll 1972 and subm by France Habe, Slovenian Aca Postojna. Samples date periods of growth of sinter.	09′E) near d Sci & Arts,
J 1 1 1 3 1 1 1 1	6380 ± 100
Z-231. Grapa	4430 вс
Calcite from stalagmitic core, entrance gallery.	
Z-231/I. Grapa	3330 ± 80 1380 вс
Calcite from same statagnific, o to finiti below surface.	
Z-231/II. Grapa	4300 ± 90 2350 вс
Carefue from same statagnific, 7 to 12mm below surface.	
Z-231/IV. Grapa Calcite from tip of same stalagmite	2201 ± 63 251 вс
curre nom up or oune oungmiter	3942 + 80
Z-232/I. Grapa Calcite from stalagmite grown on clay in N gallery	1992 BC
below surface.	0 10 1011111
	6959 + 100
Z-232/II. Grapa	4302 BC
Calcite from same stalagmitic core.	
Z-227. Grapa	2410 ± 78 460 bc
Calcite from stalagmite from N gallery. Comment (Fl period: Holocene.	H): expected
Rastuša series	

Calcite from stalactite from top of Rastuša cave near Teslić (44° 41' 48" N, 17° 48' 20" E). This stratum is sterile, but next layer contains bones of cave bear (*Ursus spelaeus*). Coll 1972 and subm by Mirko Malez, Yugoslav Acad Sci, Zagreb. *Comment* (MM): expected period: Pre-Boreal.

9808 ± 124 7858 вс

Z-238/I. Rastuša Calcite from core of stalactite.

9412 ± 126 7462 вс

 2763 ± 78

Z-238/II. Rastuša

Calcite from same stalactite 0 to 2cm below surface.

Buško Blato series

Speleothems from caves discovered during construction of dam, Orlovac hydroelectric plant (43° 40' N, 16° 59' E). Dates helped to establish chronology of cave formation, growth of speleothems and tectonic changes. Coll 1972 and subm by Srećko Božičević, Inst Geol, Zagreb.

		1857 ± 74
Z-239/I.	Buško Blato 1	ad 93

Base of submerged stalagmite, Sec 8, of interest for dating formation of sandy layer in stalagmite. Calcite below sand.

, , , 0	1828 ± 62
Z-239/II. Buško Blato 1	ad 122
Calcite above sand.	1821 ± 66
Z-240/I. Buško Blato 2	ad 129

Calcite from core, submerged stalagmite, Sec 8, near siphon.

Z-240/II.	Buško Blato 2	Modern
C-1. to from	a tip of some stalegraite	

Calcile nom	up or same	stataginite.	

Z-241. Buško Blato 3	813 вс
Calcite from tip, submerged stalagmite, Sec	8.
	1349 ± 74

Z-243. Buško Blato 5 AD 601

Calcite from core of base of broken stalagmite from great hall, Sec 8, grown on a calcite block.

		3776 ± 84
Z-244/I.	Buško Blato 6	1826 вс

Calcite from stalagmite from Great Hall beneath block with stalagmite Z-243, Sec 8. Calcite from core of base of stalagmite.

		2886 ± 6 4
Z-244/II.	Buško Blato 6	934 вс

Calcite from same stalagmite 0 to 5cm below surface.

			312 ±	: 70
Z. 245.	Buško	Blato 7	7 AD 1638	

Calcite from outer layer of stalagmite grown on a block under rock in right canal, Sec 8.

0		2481 ± 77
Z-246/I.	Buško Blato 8	531 вс

Calcite from stalagmite grown on a block under inclined rock, Sec 17. Calcite from base of stalagmite.

Dušan S	Srdoč,	Adela	Sliepčevic,	and Josi	p Planinic	155
---------	--------	-------	-------------	----------	------------	-----

		659 ± 70
Z-246/II.	Buško Blato 8	ad 1291

Calcite from tip of same stalagmite.

Z-247. Buško Blato 11

Calcite from base of stalagmite grown on muddy ground behind block with stalagmite Z-246, Sec 17.

	-			2041 ± 64
Z-248/I.	Buško	Blato	9	91 вс

Calcite from stalagmite grown on calcite block, Sec 17. Calcite from base of stalagmite.

0.02.0000-0		1970 ± 79
Z-248/II.	Buško Blato 9	20 вс
~		

Calcite from tip of same stalagmite.

Z-279. Ciganske Jame

>30,000 Z-249/I. Buško Blato 12

Calcite from fragment of speleothem 10cm thick, Sec 27. Core of speleothem.

			$20,990 \pm 405$
Z-249/II.	Buško Blato	12	19,040 вс

Outer part of speleothem. Sample mixed with dead gas for counting.

		1945 ± 94
Z-250.	Buško Blato 13	AD 5

Calcite from base of broken stalagmite grown on calcite crust 0 to 6mm below surface. Sample mixed with dead gas for counting.

4790 ± 120 2840 вс

 3382 ± 78 1432 вс

Speleothem from cave Ciganske Jame near Kočevje (45° 39' N, 14° 53' E). Coll 1973 by Mitja Brodar and subm by Alojz Šercelj, both of Slovenian Acad Sci & Arts, Ljubljana.

REFERENCES

Münnich, K O and Vogel, J C, 1959, Alterbestimmung von Süsswasser-Kalkablagerungen: Naturwissenschaften, v 46, p 168.

Srdoč, D, Breyer, B, and Sliepčevic, A, 1971, Rudjer Boškovic Institute radiocarbon measurements I: Radiocarbon, v 13, 1971, p 135-140.
Srdoč, D, Sliepčevic, A, Planinic, J, Obelic, B, and Breyer, B, 1973, Rudjer Boškovic

Institute radiocarbon measurements II: Radiocarbon, v 15, 1973, p 435-441.