

INDEX

Volume 22, Nos. 1 to 4, 1980

All samples published in Volume 22, 1980 are listed here in index form. This is a new type of index, organized in chronologic order according to sample type and geographic distribution. The editors consider this index a pilot project requiring the full cooperation of our laboratories. Instructions for submitting copy for the index have been mailed and further suggestions will be considered.

ARCHAEOLOGIC SAMPLES

Date	Culture or Period	Sample No.	No.	Page	Date	Culture or Period	Sample No.	No.	Page
<u>AFRICA</u>					<u>FRANCE</u>				
> 49,500	Middle Stone	KN-I-619	1	74	2190±270	Early Roman	NY-557	4	1065
> 49,500	"	-620	"	73	2150±180	"	-671	"	"
> 49,500	"	-621	"	"	1920±180	"	-672	"	"
> 49,000	"	-615	"	"	1820± 80	"	-556	"	"
> 48,500	"	-623	"	"	1760± 80	Historic	-552	"	1066
> 48,500	"	-618	"	"	1690± 80	Early Roman	-555	"	1065
> 48,500	"	-617	"	"	1320± 90	Historic	-646	"	1066
> 48,000	"	-616	"	"	1030± 90	"	-696	"	1065
> 47,500	"	-622	"	"	980± 80	"	-635	"	1066
46,400 ⁺³⁵⁰⁰ -2500	"	-847	"	"	970± 80	"	-634	"	1065
> 39,000	"	-626	"	75	840±110	"	-693	"	"
36,000±1150	"	-629	"	74	730±100	"	-695	"	"
33,500 ± 750	"	-628	"	"	730±120	Early Roman	-557	"	"
33,370 ± 550	"	-869	"	73	710± 80	Historic	-669	"	1064
32,700 ± 860	"	KN -2115	"	"	570± 80	"	-547	"	"
29,900±1600	"	KN-I-627	"	74	340±110	"	-547	"	1065
28,400 ± 450	"	KN- 2056	"	72	320± 80	"	-548	"	1064
26,700 ± 650	"	KN-I-813	"	"	<u>GREECE</u>				
19,760 ± 175	Early Later Stone	-812	"	"	7490±150	Sesklo	LJ-4449	4	1040
19,320 ± 320	"	-625	"	74	<u>HUNGARY</u>				
18,660 ± 210	"	KN -2057	"	72	3260±140	15th-18th C BC	LJ-4376	4	1037
14,550 ± 60	"	KN-I-613	"	"	3040±140	15th-17th C BC	-4377	"	"
13,690 ± 120	"	-612	"	"	3030±110	12th-16th C BC	-4379	"	1038
13,470 ± 125	"	-811	"	"	3030±110	"	-4382	"	"
13,030 ± 100	"	-614	"	"	1980±100	1st CAD-4th C BC	-4378	"	"
10,420 ± 80	Later Stone	-611	"	"	840±130	13th-10th C AD	-4380	"	"
9430 ± 90	"	-610	"	"	700±130	15th-11th C AD	-4381	"	"
8230 ± 70	"	KN -2143	"	76	<u>INDIA</u>				
7560 ± 75	"	-2142	"	"	740,000		BS-79	1	59
7200 ± 75	"	KN-I-867	"	72	34,670±710	Upper Paleolithic	-78	"	58
6910 ± 45	"	-624	"	74	3355±105	Early Jorwe	-103	"	59
6200 ± 65	"	-609	"	72	3255±120	Neolithic	-98	"	58
5960 ± 60	"	KN-I-632	"	77	2495±105	Megalithic	-94	"	"
3450 ± 40	"	KN-I-468	"	80	2455±100	"	-92	"	"
3330 ± 55	"	-633	"	77	2210±100	Historic	-119	"	"
2940 ± 45	"	-460	"	78	2130±105	N.Black Polished Ware	-70	"	57
2910 ± 45	"	-461	"	"	2065±120	"	-66	"	"
2840 ± 55	"	-730	"	79	2045± 90	Megalithic	-97	"	58
2820 ± 55	"	-638	"	"	1975±110	N.Black Polished Ware	-69	"	57
2190 ± 40	"	-732	"	78	1965± 90	Historic	-117	"	58
2150 ± 60	"	-731	"	"	1940±110	"	-68	"	"
2090 ± 45	"	-639	"	79	1920±110	"	-67	"	57
2070 ± 90	"	-637	"	"	1910± 95	"	-118	"	58
1930 ± 50	"	-465	"	77	1350± 95	"	-113	"	59
1670 ± 55	"	-870	"	69	<u>IRAN</u>				
1460 ± 55	"	-846	"	"	2920±20	Iron	VRI-479	1	114
910 ± 55	"	-635	"	80	2640±80	"	-480	"	"
860 ± 55	"	-636	"	79	<u>IRAQ</u>				
490 ± 50	"	-631	"	77	< 200		VRI-632	1	114
490 ± 45	Proto-Historic	-608	"	69	<u>IRELAND</u>				
420 ± 60	Later Stone	-467	"	77	2960±110	Bronze	D-132	4	1028
370 ± 50	"	-469	"	80	2860±110	Late Bronze	-134	"	"
250 ± 70	Proto-Historic	KN -2141	"	75	2810±110	"	-133	"	"
230 ± 50	Later Stone	KN-I-729	"	78	2490±120	Bronze	-135	"	"
110 ± 60	Proto-Historic	-630B	"	75	<u>ITALY</u>				
40 ± 50	"	-728	"	"	> 41,000		NY -524	4	1066
40 ± 50	"	-634	"	76	> 41,000		-525	"	"
60 ± 50	"	-630A	"	75	30,580 ± 1000		-522	"	"
<u>AUSTRIA</u>					22,570 ± 1000		-526	"	"
7000±130	Hallstatt	VRI-603	1	113	7110 ± 140	Late 70th C BC	LJ-4548	"	1040
5140 ± 90	"	-577	"	"	6900 ± 150	Early 60th-Late 70th C BC	-4551	"	"
2330 ± 80	"	-598	"	114	6870 ± 100	"	-4143	"	1039
1740 ± 90	"	-596	"	113	6780 ± 100	Early 60th C BC	-4549	"	1040
1450 ± 70	"	-574	"	"	6530 ± 150	Mid 60th C BC	-4550	"	"
1430 ± 90	"	-579	"	"	6490 ± 100	"	-4144	"	1039
< 200	"	-583	"	"	6230 ± 90	Late-Mid-60th C BC	-4139	"	"
<u>DENMARK</u>					6220 ± 100	"	-4140	"	"
780±50	Historic	LU-1607	4	1062	6090 ± 90	50th-54th C BC	-4140	"	"
<u>ECUADOR</u>					6070 ± 90	"	-4142	"	"
9550±120	Vegas	TX-3316	4	1111	5940 ± 100	48th-52nd C BC	-4138	"	1038
8250±120	"	-3413	"	"	5940 ± 80	"	-4136	"	"
8170± 70	"	-3315	"	"	5770 ± 100		Ny -411.5	"	1066
7440±100	"	-3313	"	"	5730 ± 100		-411.1	"	"
7150± 70	"	-3314	"	"	<u>EGYPT</u>				
6750±150	"	-3318	"	"	3480±55		LU-1504	4	1063
<u>EGYPT</u>					3466±55		-1505	"	"
3480±55		LU-1504	4	1063	2410±55		-1503	"	"
3466±55		-1505	"	"	<u>FRANCE</u>				
2410±55		-1503	"	"	2190±270	Early Roman	NY-557	4	1065

ARCHAEOLOGIC SAMPLES

Date	Culture or Period	Sample No.	No.	Page	Date	Culture or Period	Sample No.	No.	Page
<u>ITALY</u> (cont)					<u>VENEZUELA</u>				
5720±100		NY -411.2	4	1066	24,400 ± 650	Early Coroazal	QC-275A	4	1081
5720±100		-411.3	"	"	24,700±1250	"	-272B	"	"
5710±100		-411.4	4	1066	24,700 ± 200	"	-275B	"	"
5700 ± 90	45th-48th C BC	LJ -4137	"	1038	23,900 ± 650	"	-272A	"	"
4710 ± 80	34th-36th C BC	-4545	"	1039	23,080 ± 910	Early Camoruco	-335(1)	"	1082
4680 ± 60	34th-37th C BC	-4544	"	"	-820	Late Coroazal	"	"	"
4580 ± 80	34th-36th C BC	-4546	"	1040	22,420 ± 820	"	-335(2)	"	"
4440 ± 70	31st-45th C BC	-4547	"	"	-740	"	"	"	"
4350 ± 90		NY - 519	"	1067	9140 ± 140		Tx-2608	"	1110
4350 ± 80		- 518	"	"	8420 ± 970		-2611	"	1111
2450 ± 80		- 517	"	"	7710 ± 700		-2610	"	"
1820±100		- 516	"	"	3720 ± 270	Early Camoruco	QC- 335(3)	"	1082
540 ± 80		- 483	"	"		Late Coroazal	"	"	"
370 ± 80		- 484	"	"	2810 ± 130	Early Coroazal	-271B	"	1081
Modern		- 535	"	"	2650 ± 80	"	-271A	"	"
<u>PERU</u>					1740 ± 100	Middle Coroazal	-323	"	1082
3820±60	Pre Ceramic	Tx -3167	4	1111	1450 ± 70	Ronquin	-311B	"	1081
3660±80	"	-3166	"	"	1300 ± 90	"	-327	"	"
<u>POLAND</u>					1200 ± 90	Early Camoruco	-320	"	1082
2450±180		Gd-448	1	64	1170 ± 100	Late Coroazal	-311A	"	1081
2400±170		-447	"	"	1170 ± 90	Middle-Late Coroazal	-313AA	"	1083
2020±155		-436	"	"	900 ± 90	"	-312AB	"	"
1970±150		-427	"	65	860 ± 70	Late Coroazal	-309	"	1081
1940±150		-437	"	64	830 ± 90	Early Camoruco	-325	"	1082
1895±160	Roman (?)	-432	"	"	820 ± 90	Late Coroazal	-322	"	"
1790±150		-431	"	"	760 ± 100	Middle-Late Coroazal	-313AB	"	1083
1760± 70	Roman	-489	"	65	720 ± 80	"	-319	"	1082
1730±140		-428	"	65	540 ± 80	Middle Coroazal	-310A2	"	"
1720± 70	Roman	-488	"	64	510 ± 70	"	-310A1	"	"
<u>SWEDEN</u>					490 ± 70	"	Tx-2609	"	1110
8830±110		Lu-1566	4	1059	460 ± 80	Early-Middle Camoruco	QC-324A	"	1082
8180± 80		-1567	"	"	410 ± 90	Early Camoruco	QC-321	"	"
7580±115		-1573	"	1060	410 ± 80	Middle Camoruco	-310B1	"	"
7280± 75		-1558	"	1058	340 ± 90	"	-310B2	"	"
7070± 75		-1578	"	1060	340 ± 80	Middle-Late Coroazal	-312AA	"	1083
6860± 70	Early Ertebølle	-1623	"	1062	260 ± 80	Middle Coroazal	-320	"	1082
6680± 70	"	-1622	"	"	<u>YUGOSLAVIA</u>				
6660± 80	"	-1617	"	"	2035±50	1st C AD	Tx-1940	4	1113
6160± 70	"	-1562	"	1059	1970±80	"	-2492	"	"
5570± 65	"	-1572	"	1060	1950±60	Early 2nd C AD	-2494	"	1114
5270± 90	"	-1570	"	1059	1870±180	"	-1431	"	1112
5080± 65	"	-1636	"	1058	1800±80	Mid 5th C AD	-2491	"	1113
5010± 65	"	-1633	"	"	1780±50	Early 2nd C AD	-2489	"	"
4700± 60	"	-1563	"	1059	1730±40	"	-1921	"	1112
4440± 80	"	-1569	"	"	1720±50	"	-1942	"	"
4120± 60	"	-1574	"	1060	1660±45	Mid 5th C AD	-1943	"	1113
3590±100	"	-1577	"	"	1600±70	"	-2490	"	"
2860± 60	Late Bronze	-1674	"	1062	1600±60	"	-1944	"	1112
2830± 55	"	-1615	"	1061	<u>UNITED STATES</u>				
2800± 55	Late Bronze	-1673	"	"	<u>ARKANSAS</u>				
2760± 55	"	-1635	"	1058	790 50	Bartholomew phase	Tx-2885	4	1103
2710± 55	"	-1652	"	1061		Plaquemine	"	"	"
2660± 60	"	-1616	"	"	750 80	"	-2887	"	"
2550± 75	"	-1576	"	1060	690 60	"	-2886	"	"
2460± 55	"	-1565	"	1059	440 70	Late Caddoan	-2859	"	1102
2310± 55	"	-1579	"	1060	230 50	"	-2858	"	"
2120± 50	"	-1568	"	1059	<u>CALIFORNIA</u>				
1520± 50	"	-1561	"	"	36,000±4000		LJ-4535	4	1037
1380± 50	"	-1560	"	1058	8180 ± 110		-4130	"	1036
1370± 50	"	-1564	"	1059	7440 ± 110		-4134	"	1035
1280± 50	"	-1575	"	1060	7120 ± 150		-4133	"	"
1100± 50	Historic	-1614	"	1062	7060 ± 110		-4135	"	"
1100± 50	"	-1559	"	1058	6300 ± 90		-4168	"	1036
1070± 50	"	-1544	"	1057	5810 ± 90		-4131	"	"
1060± 50	"	-1545	"	"	5650 ± 90		-4132	"	"
1060± 50	"	-1543	"	"	4950 ± 90		-4169	"	"
1040± 50	"	-1549	"	"	3810 ± 70	23rd, 24th, 25th C BC	-4216	"	1035
1010± 50	"	-1548	"	"	3310 ± 70	"	-4173	"	1036
1010± 50	"	-1542	"	"	3110 ± 120	14th, 15th, 16th C BC	-4170	"	"
970± 50	"	-1550	"	"	1400 ± 100	7th, 6th, 5th C AD	-4533	"	1037
960± 50	"	-1551	"	1058	910 ± 50	12th, 11th, 10th C AD	-4532	"	"
960± 50	"	-1547	"	1057	430 ± 70	"	-4219	"	1036
450± 55	"	-1571	"	1060	410 ± 70	"	-4534	"	1037
< 150	"	-1677	"	1061	350 ± 70	Late Historic (?)	-4224	"	"
					330 ± 70	"	-4255	"	1035
					<250	"	-4217	"	"
					230 ± 70	"	-4254	"	"
					230 ± 60	"	-4535	"	1037

ARCHAEOLOGIC SAMPLES

Date	Culture or Period	Sample No.	No.	Page	Date	Culture or Period	Sample No.	No.	Page
<u>UNITED STATES</u> (cont)									
<u>COLORADO</u>					<u>FLORIDA (cont.)</u>				
9800 ± 830		TX-3154	4	1110	940 ± 60		UM-1742	1	196
4550 ± 100		-3149	"	1109	890 ± 60		-1668	"	"
7060 ± 110		-3156	"	1110	860 ± 70	Mississippian	-1807	4	1123
9810 ± 120		-3152	"	"	840 ± 100	Early Hickory Pond	-1790	"	1121
5690 ± 170		-3155	"	"	590 ± 80	"	-1784	"	"
4560 ± 80		-3151	"	"	530 ± 60	"	-1661	1	105
4520 ± 120		-3153	"	"	520 ± 70	Early Hickory Pond	-1785	4	1101
4430 ± 300		-3150	"	"	510 ± 70	Mission	-1786	"	"
4270 ± 90		-3157	"	"	490 ± 110	"	-1667	1	196
					250 ± 80	Mission	-1787	4	1121
<u>CONNECTICUT</u>					<u>GEORGIA</u>				
3510 ± 140		QC -301	4	1080	2430 ± 70	Woodland	UM-1676	1	105
2290 ± 90		-217	"	1079	1420 ± 80	"	-1677	"	"
1050 ± 80		-332	"	"	980 ± 100	Early Mississippian	-1675	"	"
750 ± 90		-298	"	"	<u>IDAHO</u>				
610 ± 350		-318	"	"	10,820 ± 140	Windust	Tx-3159	4	1108
130 ± 90		-231	"	"	10,110 ± 720	"	-3160	"	"
80 ± 50		-273	"	"	9850 ± 870	Windust	-3158	"	"
<u>FLORIDA</u>					9320 ± 1830	"	-3081	"	1107
6330 ± 90	Late Prehistoric Calusa	UM-1920	4	1122	9280 ± 110	"	-3083	"	"
5630 ± 100	Archaic	-1835	"	"	9160 ± 230	Windust	-3086	"	"
4940 ± 100	"	-1836	"	"	8800 ± 1310	Early Cascade	-3265	"	1109
4470 ± 80	Late Prehistoric Calusa	-1922	"	"	8660 ± 1660	Windust	-3266	"	"
4460 ± 110	"	-1918	"	"	8560 ± 520	"	-3082	"	1107
4340 ± 70	"	-1923	"	1123	6240 ± 100	"	-3084	"	"
4250 ± 90	"	-1921	"	1122	5550 ± 220	"	-3262	"	1109
4220 ± 80	"	-1919	"	"	5450 ± 120	"	-3161	"	1108
4120 ± 90	"	-1928	"	1123	4340 ± 90	"	-2263	"	1109
4080 ± 80	"	-1929	"	"	4310 ± 70	Tucannon	-3085	"	1107
4060 ± 80	"	-1925	"	"	4120 ± 110	"	-3088	"	1108
4030 ± 80	"	-1924	"	"	3440 ± 110	"	-3264	"	1109
3980 ± 90	"	-1930	"	"	3420 ± 380	"	-3092	"	1108
3950 ± 90	"	-1726	1	107	2270 ± 150	"	-3091	"	"
3900 ± 90	"	-1927	4	1123	360 ± 60	"	-3089	"	"
3900 ± 80	"	-1926	"	"	150 ± 70	"	-3090	"	"
3890 ± 80	"	-1931	"	"	<u>MARYLAND</u>				
3770 ± 80	Pre-Occupation	-1723	1	107	1040 ± 120	Montgomery	QC-157/8	4	1030
2640 ± 90	Mississippian	-1756	4	1124	<u>MASSACHUSETTS</u>				
2440 ± 70	"	-1720	1	106	1790 ± 120	"	QC-222 (1)	4	1080
2360 ± 70	"	-1873	4	1124	1760 ± 80	"	-222 (2)	"	"
2280 ± 90	"	-1872	"	"	<u>MONTANA</u>				
2270 ± 80	"	-1874	"	"	4230 ± 50	Early Late Prehistoric	Tx-2797	4	1106
2260 ± 80	"	-1838	"	1122	1790 ± 50	"	-3066	"	"
2210 ± 80	"	-1722	1	107	1770 ± 200	Early Late Prehistoric	-3112	"	"
2000 ± 70	"	-1721	"	106	1510 ± 60	"	-2796	"	"
1960 ± 70	"	-1727	"	107	1140 ± 50	"	-2798	"	"
1930 ± 75	"	-1672	"	106	1000 ± 90	"	-3111	"	"
1890 ± 110	"	-1725	"	107	940 ± 60	"	-2795	"	"
1850 ± 90	"	-1837	4	1122	<u>NEW YORK</u>				
1810 ± 180	Mississippian	-1811	"	1124	4940 ± 100		QC-240	4	1078
1770 ± 70	"	-1642	1	104	4700 ± 90		-270 (2)	"	"
1740 ± 70	Late Cades Pond	-1783	"	1121	4600 ± 80		-270 (1)	"	"
1700 ± 80	"	-1841	"	1122	4490 ± 90		-243	"	"
1690 ± 90	"	-1644	"	104	4400 ± 100		-224	"	"
1680 ± 73	Late Cades Pond	-1781	4	1121	4370 ± 90		-239	"	"
1530 ± 80	"	-1645	1	104	3370 ± 170		-225	"	"
1520 ± 79	"	-1646	"	105	2850 ± 220		-307/8	"	1079
1460 ± 130	"	-1724	"	107	2480 ± 340		-241	"	1078
1460 ± 70	Late Cades Pond	-1782	4	1121	700 ± 120		-112	"	"
1450 ± 90	"	-1643	1	104	<u>NEVADA</u>				
1440 ± 140	"	-1674	"	106	7080 ± 680		QC-291	4	1080
1360 ± 80	Early Hickory Pond	-1788	4	1121	5410 ± 270		-294	"	1081
1360 ± 70	"	-1839	"	1122	5390 ± 150		-293	"	"
1350 ± 80	"	-1665	1	105	5290 ± 180		-289	"	1080
1230 ± 80	"	-1669	"	106	5100 ± 100		-293	"	1081
1220 ± 50	"	-1671	"	"	4850 ± 100		-290	"	1080
1220 ± 50	Mississippian	-1810	4	1124	4140 ± 130		-292	"	1081
1210 ± 70	Early Hickory Pond	-1789	"	1121	3140 ± 90		-288	"	1080
1190 ± 60	Mississippian	-1808	"	1124	3130 ± 90		-287 (2)	"	"
1180 ± 80	"	-1840	"	1122	2900 ± 90		-287 (1)	"	"
1180 ± 50	"	-1805	"	1124					
1160 ± 50	"	-1663	1	105					
1130 ± 80	Mississippian	-1809	4	1124					
1090 ± 70	"	-1666	1	106					
1080 ± 50	"	-1660	"	105					
1050 ± 70	"	-1806	4	1124					
1030 ± 50	"	-1664	1	105					
1020 ± 70	"	-1662	"	105					
1020 ± 50	"	-1670	"	106					

ARCHAEOLOGIC SAMPLES.

Date	Culture or Period	Sample No.	No.	Page
<u>NORTH CAROLINA</u>				
1340 ± 60	Late Woodland	Tx-2819	4	1104
970 ± 80		-2818	"	"
120 ± 260		-2820	"	"
<u>NORTH DAKOTA</u>				
470 ± 75	Early Plains Woodland	WIS-1015	1	115
265 ± 70		-1021	"	"
<u>PENNSYLVANIA</u>				
1990 ± 80		QC-253	1	1083
1610 ± 100		-259	"	"
<u>OHIO</u>				
2990 ± 80	Early Woodland	Tx-2347	4	1105
2290 ± 50	Early Adena	-2462	"	"
2160 ± 60	Late Adena-Early Hopewell	-2375	"	"
1650 ± 60	Late Hopewell	-2373	"	"
680 ± 50	Philo	-2345	"	"
660 ± 60	"	-2344	"	"
660 ± 50	Late Woodland	-2374	"	1104
600 ± 70	Philo Phase	-2346	"	1105
<u>OKLAHOMA</u>				
1920 ± 60		Tx-3284	4	1104
1270 ± 60	Plains Woodland	-3248	"	1103
1010 ± 50	Early Caddo	-3280	"	"
1000 ± 50	"	-3281	"	"
530 ± 50		-3283	"	1104
500 ± 40		-3282	"	"
<u>SOUTH DAKOTA</u>				
610 ± 55	Initial Coalescent	WIS-1074	1	115
<u>TEXAS</u>				
3680 ± 160	Late San Pedro Cochise	Tx-3173	4	1100
1190 ± 80	Early Caddo	-3312	"	1102
1170 ± 100	"	-3309	"	1101
1140 ± 160	"	-3311	"	1102
1040 ± 230	"	-3268	"	1100
1020 ± 60	"	-3403	"	1132
1010 ± 70	San Pedro Cochise	-3169	"	1100
990 ± 60	"	-3399	"	1102
950 ± 80	Early Caddo	-3273	"	1101
910 ± 90	"	-3275	"	"
880 ± 110	"	-3307	"	"
800 ± 40	"	-3401	"	1102
790 ± 80	Early Caddo	-3271	"	1101
780 ± 100	"	-3272	"	"
760 ± 70	Late San Pedro Cochise	-3168	"	1100
770 ± 70	Early Caddo	-3270	"	1101
740 ± 70	"	-3269	"	"
620 ± 100	"	-3308	"	"
610 ± 100	"	-3310	"	"
560 ± 60	"	-3267	"	1100
550 ± 60	"	-3276	"	1101
440 ± 90	"	-3274	"	"
<u>WASHINGTON</u>				
2500 ± 70	7th,8th,9th C BC	LJ-4218	4	1034
2400 ± 110		Tx-3304	"	1105

GEOCHEMICAL SAMPLES

% of Modern Δ Value or Date	Depth	Sample No.	No.	Page	% of Modern Δ Value or Date	Depth	Sample No.	No.	Page
<u>ANTARCTICA</u>					<u>PACIFIC ISLANDS</u>				
-73±7%	20m below ice	LJ-4256	4	1043	>41,000	+ 50 m	MGU-164	1	84
<u> BRAZIL</u>					31,930±1300	+ 34 m	-634	"	87
		LJ-4099-4102	4	1044	31,600 ± 500	+ 60 m	-165	"	85
		-4303-4308	"	"	29,880 ± 300	+ 29 m	-173	"	84
		-4450-4455	"	"	29,780±1000	+100 m	-163	"	"
0.7±0.5	277 m	FZ-44	"	1032	29,590 ± 600	+3.5 m	-184-2	"	86
2.5±0.8		-53	"	"	28,968±1020	+ 65 m	-625	"	88
4.1±05	240 m	-43	"	"	27,480 ± 330	+ 20 m	-622	"	"
4.9±03	210 m	-37	"	"	26,870 ± 350	+166 cm	-592	"	87
5.7±1.1		-45	"	"	26,290 ± 450	+3.5 m	-184-1	"	86
9.7±0.4	77 m	-38	"	"	25,160 ± 500	+ 24 m	-187	"	"
10.6±0.8	141 m	-41	"	"	25,100 ± 780	+ 60 m	-181	"	85
11.7±0.3		-64	"	"	23,894 ± 430	+1.3 m	-631	"	87
19.1±0.7	32 m	-67	"	1033	22,897 ± 352	+ 1 m	-628	"	"
23.1±0.7		-34	"	1031	22,500 ± 180	+ 5 m	-593	"	86
23.9±0.7	164 m	-35	"	"	22,400 ± 100	+ 70 m	-175	"	83
25.6±0.7	36 m	-77	"	1033	21,920 ± 360	+ 80 m	-162	"	84
27.1±0.7	120 m	-40	"	1032	21,400 ± 270	+ 14 m	-176	"	"
32.8±0.6		-66	"	1033	20,000 ± 220	+ 2 m	-179	"	86
37.1±0.7	130 m	-14	"	1031	19,580 ± 460	+ 3 m	-590	"	88
37.8±0.8	89.5 m	-36	"	1032	15,220 ± 300	+ 15 m	-172	"	84
40.0±0.6	142 m	-78	"	1033	12,316 ± 210	+1.5 m	-633	"	86
53.9±0.7	60 m	-71	"	"	6478 ± 116	185 cm	-630	"	87
55.4±0.6		-69	"	"	4100 ± 84	- 55 cm	-618	"	"
71.5±0.9		-72	"	"	3960 ± 150	+ 8 m	-170-1	"	83
72.1±1.0		-73	"	"	3780 ± 150		-170-3	"	"
77.2 ± .1	110 m	-79	"	"	3740 ± 250		-170-2	"	"
79.9±0.8	68 m	-68	"	"	3623 ± 116		-632	"	88
83.6±1.4		-70	"	"	3190 ± 170	+ 20 cm	-629	"	86
88.0±0.9		-65	"	1032	3180 ± 170	+0.3 m	-591	"	87
<u>CANADA</u>					2954 ± 170		-589	"	88
					2890 ± 500	1.5 m	-174	"	83
14,540±300	+ 150 m	MGU-334	1	90	2615 ± 84		-627	"	81
11,280±160	+ 84 m	-330	"	"	2500 ± 190		-177	"	84
8570±120	+ 98 m	-331	"	"	2467 ± 84	+0.8 m	-624	"	87
7590±100	+ 62 m	-333	"	"	2385 ± 120	+1.5 m	-171	"	84
6336±160	+ 44.5 m	-332	"	"	2230 ± 150	98-104 cm	-239	"	86
<u>CUBA</u>					1823 ± 100		-191	"	85
29,780±500	1.4 m	MGU-465	1	88	1666 ± 70	+1.5 m	-178	"	84
27,160±150	3-4 m	-363	"	"	1435 ± 80		-185	"	85
20,000±260		-416	"	89	1197 ± 170	+2.5 m	-626	"	88
16,430±200	6-7 m	-415	"	"	830 ± 50	+5-10 m	-190	"	85
15,020±300	310-330 cm	-547	"	"	725 ± 180		-180	"	86
7680±150	275-295 cm	-551	"	90	530 ± 60	340-350 cm	-237	"	85
7590±250	340-360 cm	-550	"	"	440 ± 90	196-202 cm	-236	"	"
7480±800	420-440 cm	-548	"	89	Recent	0-10 cm	-238	"	"
7360±290	380-435 cm	-368	"	"	"	40m 0-10 cm	-235	"	"
5480±140	340-380 cm	-367	"	"	"	+0.5 m	-623	"	88
4055±120	10-45 cm	-369	"	"	149.7±1.4	Gd-494	1	86	
3370± 80	400-455 cm	-552	"	90	134.9±1.6	-480	"	"	
2150± 90		-417	"	89	103.0±0.8	-493	"	"	
1900±120	1 m	-419	"	"	100.3±1.7	-288	"	"	
1610±130		-414	"	"	85.3±1.6	-289	"	"	
1310± 80	20-30 cm	-371	"	"	74.8±1.6	-290	"	"	
1170±130	1 m	-418	"	"	69.5±1.5	-483	"	"	
<u>INDIA</u>					66.3±1.4	Surface	-417	"	65
2875±100		BS-59	1	59	62.0±1.3	ca 400 m	-292	"	66
2755±105		-61	"	"	61.9±1.3	Surface	-467	"	65
2455±100		-64	"	60	59.8±1.7	ca 400 m	-433	"	"
2215±100		-63	"	"	59.5±1.7	ca 400 m	-457	"	"
595±105		-62	"	59	59.1±1.1		-291	"	66
475 ± 75		-58	"	"	55.8±1.2		-434	"	"
180 ± 95		-65	"	60	52.3±1.2	ca 600 m	-466	"	65
					48.8±1.1		-481	"	66
					43.2±1.1	ca 600 m	-456	"	65
					41.7±1.0	ca 600 m	-462	"	"
					25.3±0.9	ca 380 m	-412	"	"
					24.9±1.1	ca 600 m	-411	"	"
					21.5±1.2	ca 380 m	-434	"	"
					20.6±1.1	ca 600 m	-426	"	"
<u>SWEDEN</u>					13,110±115		Iu-1675	4	1050
					13,080±115		1676		

GEOLOGIC SAMPLES

% of Modern or Date	Depth	Sample No.	No.	Page	% of Modern or Date	Depth	Sample No.	No.	Page
<u>AUSTRIA</u>					<u>FRANCE</u> (cont)				
28,300±700		VRI-618	1	118	3110±80	45-49 cm	Nz-491	4	1070
26,300±600		-619	"	"	2070±80		-475.2	"	1071
25,630±650		-570	"	111	2000±70	55-60 cm	-613	"	1068
11,560±170		-464	"	109	1890±100	30-37 cm	-502	"	1069
9680±210		-594	"	"	1820±100	77-85 cm	-503	"	"
7630±130		-582	"	111	1750±90	40-55 cm	-504	"	"
6980±130	214-216 cm	-531	"	119	1660±90	100-110 cm	-505	"	"
6490±90	285-300 cm	-501	"	"	1440±80	50-55 cm	-609	"	1068
6270±100	188-189 cm	-534	"	"	1220±70	40-45 cm	-615	"	"
6130±120		-634	"	109	770±80	30-35 cm	-616	"	"
6000±100	150-160 cm	-500	"	110	770±80	40-45 cm	-617	"	"
5820±100	134-144 cm	-535	"	"	460±100	75-85 cm	-509	"	1069
5630±110	350-355 cm	-532	"	"	320±100	65-75 cm	-508	"	"
4920±140	113-115 cm	-536	"	"	210±50	40-55 cm	-501	"	1068
4420±100	13.2 cm	-631	"	109	160±90	63-70 cm	-512	"	1069
3490±80	303-307 cm	-531	"	110	50±90	30-40 cm	-510	"	1068
3150±80	279-285 cm	-530	"	"	Modern	33-45 cm	-511	"	1069
2260±100	60 cm	-633	"	109	Modern	70-75 cm	-514	"	"
750±70	1.5 m	-587	"	108					
590±70	14-24 cm	-588	"	"					
<350	-4.5 m	-630	"	109					
<u>BULGARIA</u>					<u>ICELAND</u>				
2625±65	182-185 cm	WIS-1014	1	129	8990±155	386-393 cm	Lu-1682	4	1053
1810±60	146-150 cm	-1010	"	"	7660±115	338-343 cm	-1683	"	"
<u>CANADA</u>					6570±65	309-316 cm	-1684	"	"
10,260±100	505-515 cm	WIS-987	1	125	6040±100	267-272 cm	-1685	"	"
10,040±95	500-505 cm	-985	"	"	4470±95	228-234 cm	-1724	"	"
9840±100	490-500 cm	-983	"	"	2710±70	176-182 cm	-1725	"	"
8940±90	270-280 cm	-106	"	"	2330±55	760-765 cm	-1641	"	1052
8900±90	385-375 cm	-105	"	125	1850±60	660-665 cm	-1643	"	"
8740±90	450-465 cm	-992	"	127	1830±55	710-715 cm	-1642	"	"
8340±90	946 cm	-1062	"	"	1700±50	610-615 cm	-1644	"	"
8310±80	362-352 cm	-1061	"	126	1590±60	297-302 cm	-1650	"	1053
7870±85	390-400 cm	-991	"	127	1530±50	560-565 cm	-1645	"	1052
7265±85	390-400 cm	-982	"	125	1450±55	360-365 cm	-1649	"	1053
6920±85	185-195 cm	-1066	"	"	1390±60	247-252 cm	-1651	"	"
6920±80	430-440 cm	-1055	"	127	1380±50	410-415 cm	-1648	"	1052
5625±75	300-290 cm	-1054	"	126	1330±55	460-465 cm	-1647	"	"
5210±70	280-370 cm	-1060	"	"	1320±55	510-515 cm	-1646	"	"
4520±80	310-320 cm	-1056	"	127	<u>INDIA</u>				
4510±75	290-300 cm	-981	"	125	38,270±2480	3.4 m	Bz-83	1	57
4040±80	90-100 cm	-1064	"	126	28,310±3070	43-73 cm	-73	"	54
3860±70	240-250 cm	-1047	"	127	24,030±580	179-220 cm	-74	"	"
3350±70	200-190 cm	-1047	"	126	19,310±360	120-150 cm	-122	"	56
3330±70	855 cm	-1048	"	127	10,620±160	70-100 cm	-130	"	"
3230±120		Gd-473	"	63	7985±110	40-44 cm	-87	"	55
2850±65	190-200 cm	-980	"	125	7840±300	2.3-3.4 m	-81	"	56
2835±75	160-150 cm	-1059	"	126	7210±160	260-267 cm	-996	"	57
2675±60	290-300 cm	-990	"	127	5210±145	0.3 m	-88	"	56
2355±55	190-200 cm	-989	"	"	4005±90	20-50 cm	-106	"	54
1840±60	90-100 cm	-986	"	"	1975±110	17 cm	-86	"	55
1135±60	90-100 cm	-979	"	127	1920±100	30 cm	-75	"	55
620±70	50-60 cm	-1058	"	126	1345±110		-71b	"	55
<u>FRANCE</u>					1220±350	127-132 cm	-84	"	"
19,510±620		NY-543.2	4	1071	870±110		-71a	"	"
19,400±560		-543.1	"	"	825±120		-77b	"	56
6830±100		-474	"	"	425±90		-77a	"	57
4260±90	180-185 cm	-495	"	1070	330±140	3.15 m	-96	"	"
4180±90	154-160 cm	-494	"	"	330±70	3.3 m	-100	"	"
4120±90		-523	"	"	245±90	1.2 m	-102	"	55
4100±90		-544	"	"	280±100	0.5 cm	-76	"	57
4000±80		-496	"	"	160±95	0.9 m	-95	"	55
3770±90	125-131 cm	-493	"	"	Modern	15 cm	-82	"	"
3470±80		-546.1	"	1071	Modern	5-8 cm	-89	"	"
3490±90		-492	"	"	Modern	38 cm	-99a	"	57
3480±90	119-125 cm	-546.2	"	"	Modern	3.0 m	-101	"	54
3390±80		-492	"	1070	Modern	5-7 cm	-85	"	55
3390±80	75-180 cm	-611	"	1068	Modern	26-43 cm	-95	"	"
3340±90		-545	"	1071	<u>IRELAND</u>				
3230±85		LU-1606	4	1056	10,010±170		I-130F	4	1029
2930±100	120-130 cm	NY-507	"	1069	4030±120		-119	"	"
2810±70	60-65 cm	-610	"	1068	0.7±0.2	Bottom 1 cm	-144	"	1030
2510±100		-506	"	1069	40.2±0.9	Upper 1 cm	-137	"	1029
2510±80		-633	"	1071	44.9±0.4		-149	"	1030
2445±70	65-70 cm	-614	"	1068	53.5±0.9	Central 2 cm	-141	"	1029
2380±70	60-65 cm	-612	"	"	72.8±1.1	Outer 2 cm	-142	"	"
2280±80		-476	"	1070	85.8±1.3		-139	"	"
2120±80		-475.1	"	"	114.1±3.6		-147	"	1030
					142.0±11.5		-148	"	"

GEOLOGIC SAMPLES

% of Modern or Date	Depth	Sample No.	No.	Page	% of Modern or Date	Depth	Sample No.	No.	Page
<u>ITALY</u>					<u>POLAND</u> (cont)				
13,020±190	450-472.5 cm	VRI-539	1	112	1220 ± 50	75-80 cm	Lu-1540	4	1054
9370±150	375-383 cm	-553	"	"	830±110	45-70 cm	Gd-492	1	63
8920±130	385-405 cm	-548	"	"	810 ± 50		Lu-1627	4	1055
8960±130	110-120 cm	-499	"	111	780 ± 50	25-30 cm	-1541	"	1054
7870±140	330-340 cm	-549	"	112					
<u>MEXICO</u>					<u>SAUDI ARABIA</u>				
14,540 ± 90		TX-1913	4	1094	32,200±1800		VRI-600	1	112
14,450±100		-1914	"	"	4330 ± 100		-599	"	"
13,180±290		-1784	"	"	1.8 ± 0.4%		-601	"	113
<u>NEPAL</u>					<u>SWEDEN</u>				
36,000		VRI-607	1	112	12,890±190	532-538 cm	Lu-1599	4	1049
29,200±1100		-608	"	"	12,090±145	525-530 cm	-1600	"	"
<u>NORWAY</u>					11,970±105	249-253 cm	-1588	"	1048
9420 ± 85		Lu-1581A	4	1051	11,810±105	1015±1018 cm	-1597	"	1049
9220±100	109-114 cm	-1621	"	"	11,700±105	838-840 cm	-1618	"	1050
8320 ± 80	+ 1220 m	-1693	"	1052	11,260±100	613-615 cm	-1589	"	1047
8240 ± 80	+ 1030 m	-1692	"	1051	11,040±150	995-998 cm	-1598	"	1049
7330 ± 75		-1580A	"	"	10,890 ± 90	598-600 cm	-1590	"	1047
7180 ± 75	C9-74 cm	-1620	"	1050	10,830±100	582-584 cm	-1591	"	"
4890 ± 65	+ 1000 m	-995	"	1051	10,760±100	507-511 cm	-1601	"	1049
3600 ± 55		-1583A	"	"	10,560±100	502-507 cm	-1602	"	"
2860 ± 55		-1582A	"	"	10,740±105	498-502 cm	-1603	"	"
<u>PERU</u>					10,500±100	768-770 cm	-1619	"	1050
19,950±100	895-902 cm		1	128	10,450±100	574-576 cm	-1592	"	1047
5070 ± 80	728-736 cm		"	"	10,260 ± 95	491-495 cm	-1604	"	1049
1100 ± 70	225-235 cm		"	"	10,220 ± 95	563-565 cm	-1593	"	1047
455 ± 60	118-123 cm		"	"	9840 ± 95	551-553 cm	-1594	"	"
<u>POLAND</u>					9760 ± 90	482-485 cm	-1605	"	1049
36,400±1200	520-550 cm	Lu-1632A	4	1056	9560 ± 90	537-539 cm	-1595	"	1048
-1300			"	"	7280 ± 75	228-230 cm	-1517	"	1046
35,100 ± 900	520-550 cm	-1632	"	1055	6830 ± 90	125-130 cm	-1653	"	1047
11,840 ± 110	197-201 cm	-1678	"	"	6640 ± 75	218-220 cm	-1518	"	1046
11,380 ± 100	186-190 cm	-1679	"	"	4490 ± 75	94-98 cm	-1654	"	1047
11,100 ± 105	178-182 cm	-1680	"	"	3810 ± 60	208-210 cm	-1587	"	1046
11,000 ± 100	165-170 cm	-1681	"	"	3480 ± 60	72-76 cm	-1655	"	1047
9940 ± 210	440-460 cm	Gd-449	1	62	3470 ± 60	194-196 cm	-1519	"	1046
9870 ± 90	790-803 cm	Lu-1531	4	1054	3190 ± 70	168-170 cm	-1520	"	"
9740 ± 300	330-350 cm	Gd-438	1	62	2570 ± 55	100-105 cm	-1672	"	"
9610 ± 210	445-455 cm	-445	"	"	2500 ± 55	415-420 cm	-1639	"	1048
9470 ± 270	335-355 cm	-439	"	"	2300 ± 50	130-134 cm	-1521	"	1046
9360 ± 300	325-355 cm	-446	"	61	2050 ± 50	75-80 cm	-1671	"	"
9280 ± 90	775-780 cm	Lu-1532	4	"	1970 ± 70	23-27 cm	-1656	"	1047
8830 ± 85	750-755 cm	-1533	"	1054	1850 ± 50	122-126 cm	-1522	"	1046
8670 ± 220	555-565 cm	Gd-458	1	62	1710 ± 50	395-400 cm	-1640	"	1048
8350 ± 80	725-730 cm	Lu-1534	4	1054	1610 ± 65	375-380 cm	-1638	"	"
8120 ± 80	675-680 cm	-1535	"	"	1580 ± 50	50-55 cm	-1670	"	1046
7770 ± 220	495-505 cm	Gd-460	1	62	1540 ± 55	100-104 cm	-1523	"	"
7430 ± 190	145-155 cm	-454	"	61	900 ± 50	32.5-37.5 cm	-1669	"	"
7160 ± 75	625-630 cm	Lu-1536	4	1054	580 ± 50	75-77.5 cm	-1686	"	1050
6930 ± 240		Gd-420	1	63	<u>SWITZERLAND</u>				
6620 ± 180	135-165 cm	-442A	"	61	5140±120		Lu-1696	4	1056
6000 ± 250		-442B	"	"	5090 ± 65		-1697	"	"
6590 ± 70	575-580 cm	Lu-1469	4	1054	<u>UNITED STATES</u>				
6220 ± 120	345-355 cm	Gd-476	1	62	<u>ALASKA</u>				
5950 ± 65	525-530 cm	Lu-1537	4	1054	6960±100		GM-245	4	1077
5430 ± 65	475-480 cm	-1538	"	"	6660 ± 90		-208	"	"
5130 ± 60	445-450 cm	-1539	"	"	5110±200		-206B	"	"
4870 ± 150	340-360 cm	Gd-452	1	62	4460±180		-244	"	"
4810 ± 60	425-430 cm	Lu-1470	4	1054	3830±110		-204A	"	1076
4230 ± 60	390-395 cm	-1608	"	1055	3770±100		-205	"	"
3740 ± 55	340-345 cm	-1609	"	"	3630±130		-160	"	1075
3320 ± 55	290-295 cm	-1610	"	"	3040±370		-207	"	1077
3270 ± 160	140-160 cm	Gd-475	1	62	2770 ± 90		-161	"	1075
3150 ± 130	435-465 cm	-472	"	"	2690 ± 90		GM-1804	"	1119
2850 ± 170	140-160 cm	-451	"	"	900±120		-1803	"	"
2748 ± 150	440-460 cm	-464	"	"	650 ± 80		GM-160	"	1075
2700 ± 130	435-440 cm	-470	"	"	107.15		GM-1739	1	102
2650 ± 55	240-245 cm	Lu-1611	4	1055	105 ± 5		-1738	"	"
2370 ± 150	160-180 cm	Gd-459	1	63	104.44		-1740	"	"
2250 ± 50	195-200 cm	Lu-1612	4	1055	103.74		-1741	"	103
2150 ± 100		Gd-474	1	64					
1850 ± 120	215-235 cm	-471	"	62					
1790 ± 80	Ca50 cm	-490	"	63					
1790 ± 50	140-145 cm	Lu-1613	4	1055					
1640 ± 140	215-235 cm	Gd-461	1	62					

GEOLOGIC SAMPLES

% of Modern or Date	Depth	Sample No.	No.	Page	% of Modern or Date	Depth	Sample No.	No.	Page
<u>UNITED STATES</u> (cont.)					<u>UNITED STATES</u> (cont.)				
<u>CALIFORNIA</u>					<u>MASSACHUSETTS</u>				
38,380 ⁺⁷³⁰ -670		UM-1631	1	102	10,300±370	1205-1230 cm	TX-2946	1	1099
33,460 ⁺⁹⁵⁰ -850	140 m	-1822	4	1118	8520±200	902-927 cm	-2945	"	"
31,440 ⁺²²¹⁰ -1730	91 m	-1818	"	"	3700±110	400-405 cm	UM-1915	"	1120
31,000 ⁺¹⁴⁰⁰ -1200	49 m	-1985	"	1129	3020±380	305-310 cm	TX-2948	"	1099
29,850 ⁺⁵⁶⁰ -810	131 m	-1820	"	1118	1910±100	105-110 cm	UM-1914	"	1120
29,040 ⁺⁵⁷⁰ -350	49 m	-1984	4	1129	<u>MINNESOTA</u>				
19,630 ⁺²³⁰ +510		-1816	"	118	12,060±125	1770-1778 cm	WIS-1034	1	119
18,500 ⁺⁴⁸⁰	160 m	-1819	"	"	7550 ± 90	947-952 cm	-1029	"	117
12,260±210		-1823	"	"	6165 ± 80	787-792 cm	-1026	"	"
18,800±130	61 m	-1817	"	"	5640 ± 70	13.4-13.5 cm	-1008	"	119
5180 ± 90	2.4 m	-1813	"	1120	4550 ± 75	607-612 cm	-1027	"	117
3530 ± 80		LJ-4366	"	1041	4030 ± 75	11.30-11.40 cm	-1007	"	119
2430±110	91 cm	UM-1812	"	1120	3950 ± 80		-1037	"	"
2230±110		-1794	"	1119	3785 ± 70	1150-1160 cm	-1013	"	118
1410±100		-1795	"	"	3705 ± 70	487-492 cm	-1024	"	117
1250±110		-1796	"	"	3705 ± 60	10.6-10.7 m	-1006	"	119
850 ± 90		LJ-4391	"	1041	2790 ± 65	9.7-9.8 m	-1005	"	110
810 ± 60		UM-1821	"	1118	2615 ± 65	945-955 cm	-1009	"	"
700 ± 50		LJ-4383	"	1041	2290 ± 65	3-7-3-2 cm	-1028	"	117
670 ± 70		-4388	"	"	1950 ± 65	150- 55 cm	-1035	"	119
560 ± 50		-4385	"	"	920 ± 60	7.8-7.9 m	-1003	"	118
410 ± 70		-4384	"	"	910 ± 70	107-217 cm	1025	"	116
390 ± 60		-4392	"	"	810 ± 60	120-730 cm		"	118
380 ± 90		UM-1797	"	1119	800 ± 60	1.45-7.55		"	119
360 ± 50		LJ-4365	"	1041	630 ± 55	7.1 -	-1C	"	118
340 ± 60		-4387	"	"	390 ± 60	60-70 cm	-1C	"	"
330 ± 60		-4386	"	"	<u>NEVADA</u>				
240 ± 60		-4389	"	"	40,000	34 m	TV-2561	4	1094
110 ± 30		-4390	"	"	<u>NEW JERSEY</u>				
<u>FLORIDA</u>					12,820±200		QC-297	4	1075
38,970 ⁺¹⁹⁴⁰ -1560	20-40 cm	UM-1791	4	1119	12,130±210	1.8 m	-296	"	"
28,770 ⁺⁸⁶⁰ -730	25-40 cm	-1793	"	1120	6340±100	1.4 m	-142	"	"
3500 ± 130	15-36 cm	-1832	"	1117	5220±120	1.4 m	-141	"	"
3260 ± 130	38-51 cm	-1827	"	"	5080 ± 60	1.2 m	-144	"	"
2150 ± 130	15-36 cm	-1826	"	"	<u>NEW YORK</u>				
860 ± 90		-1913	"	1120	25,450 ⁺⁶⁶⁸⁰ -3600	+ 60 cm	QC-238	4	1076
850 ± 70		-1798	"	"	10,830±220	3 m	-232	"	"
680 ± 70		-1792	"	1119	10,360±100	997-1023 cm	WIS-1050	"	120
370		-1831	"	1117	7950±100	4.5 m	QC-263	"	1076
270	910 m	-1829	"	"	7880±100	231-249 m	WIS-1051	"	120
180 ± 80	3 m	-1692	1	104	6270±340	4.5 m	QC-233	"	1076
Modern		UM-1828	4	1117	5900±300	9.45 m	-189	"	1073
Modern		-1830	"	"	5150±210	7.5 m	-221A	"	"
Modern		-1833	"	1118	5060±120	10.1 m	-314	"	1074
<u>GEORGIA</u>					4610±120	8.54 m	-261	"	1073
4550±90		UM-1878	4	1117	4570±120	6.8 m	-221B	"	"
4160±80		-1877	"	"	4500±100	7 m	-264	"	1074
3750±70		-1879	"	"	4230±120	7.7 m	-227	"	"
3020±90		-1875	"	"	4110±100	6.15 m	-276	"	"
2810±110		-1876	"	"	3940±140	10.75 m	-186	"	"
<u>IDAHO</u>					3800±160	4.75 m	-187	"	"
9510±190	920-923 cm	Tx-2108	4	1096	3610±120	4.6 m	-274	"	"
9110±110	913-416 cm	-2103	"	"	3460±100	5.05 m	-262	"	"
8280±120	904-908 cm	-2110	"	"	3245 ± 65	231-249 m	WIS-1052	1	120
7960±310	805-810 cm	-2674	"	"	2326±100	3.9 m	QC-226	4	1074
7680± 40	760-771 cm	-2673	"	"	2300±160	3 m	-211	"	"
6980±480	643-645 cm	-2104	"	"	1870 ± 90	2.7 m	-228	"	1073
6630± 80	600-605 cm	-2116	"	"	1800 ± 90	2.25 m	-295	"	1074
6390±230	500-505 cm	-2121	"	"	1020±100	1.12 m	-315	"	"
4310±990	395-399 cm	-2119	"	"	300 ± 90	0.27 m	-316	"	"
3030±110	339-343 cm	-2105	"	"	<u>NORTH CAROLINA</u>				
2940± 80	279-283 cm	-2113	"	"	>32,000	475-483 cm	UM-1651	1	100
2670±100	161-166 cm	-2115	"	"	32,540 ⁺⁶⁸⁰ -630	335-427 cm	-1707	"	"
<u>KANSAS</u>					28,940 ⁺⁵⁰⁰ -470	457-518 cm	-1717	"	"
2395 ± 65	12 m	WIS-1030	1	116	26,400±240	18.3-18.9 m	-1946	4	1129
<u>MAINE</u>					25,050 ⁺⁴⁸⁰ -450	457-483 cm	-1652	1	100
24,750 ⁺¹⁵⁶⁰ -1300	550-570 cm	UM-1693	1	104	23,060 ⁺⁶²⁵ -580	1524-1585 cm	-1718	"	"
					15,440±280	257-262 cm	-1650	"	"
					12,550±300	0-10 cm	-1715	"	101

GEOLOGIC SAMPLES

% of Modern or Date	Depth	Sample No.	No.	Page	% of Modern or Date	Depth	Sample No.	No.	Page
<u>UNITED STATES</u> (cont.)					<u>UNITED STATES</u> (cont.)				
<u>NORTH CAROLINA</u> (cont.)					<u>WASHINGTON</u> (cont.)				
9330±110	11.9-13.1 m	UM-1965	4	1129	4780±240	305-310 cm	Tx-2681	4	1099
9090±380 -360	241-246 m/msl	-1716	1	101	4380±240	477-480 cm	-2218	"	1097
7820 ± 80	-13.7m/msl	-1943	4	1129	4210±110	363 cm	-2415	"	"
7080 ± 70	-8.8-9.1 m/msl	-1942	"	"	4120±170	411-414 cm	-2217	"	"
5460±170	-6.4 m/msl	-1941	"	"	3530 ± 80	125-135 cm	-2637	"	1098
4800±100	56-64 cm	-1919	1	101	3390±100	307 cm	-2414	"	1097
4700 ± 80	5.2 m/msl	-1944	4	1129	3340 ± 90	245-250 cm	-2680	"	1099
4300 ± 90	188-191 cm	-1647	1	100	3260±100	340-344 cm	-2216	"	1097
3780±140	76 cm	-1714	"	101	3050 ± 70	253 cm	-2416	"	"
3580±110	91 cm	-1712	"	"	2630±160	264-268 cm	-2215	"	1096
3190±150	287-295 cm	-1709	"	100	2570 ± 70	190-195 cm	-2679	"	1099
3080 ± 90	213 cm	-1648	"	"	2480±130	149 cm	-2295	"	1097
2940±150	76 cm	-1710	"	"	2440±100	150-155 cm	-2678	"	1099
2720±135	10-20 cm	-1711	"	"	2170±220	115-119 cm	-2677	"	"
2710±150	183-188 cm	-1713	"	101	1970±160	225-228 cm	-2214	"	1096
1520 ± 70	208-218 cm	-1649	"	100	1480 ± 60	55-60 cm	-2076	"	1099
1380±100	2.1-2.4 m/msl	-1947	4	1129	1170±100	76 cm	-2203	"	1097
1050±140	112-142 cm	-1708	1	100	<u>WISCONSIN</u>				
<u>VIRGINIA</u>					12,880±125	593-603 cm	Wis-1004	4	122
10,800±190	351 cm	UM-1706	1	102	12,520±160	6 m	-1075	"	"
8540±100	219 cm	-1705	"	"	12,260±115	6 m	-1673	"	"
8240±210	104 cm	-1703	"	101	10,620±105	541-547 cm	-1001	"	"
6870±150	357 cm	-1704	"	"	10,570±110	10.10-10.30 m	-1019	"	124
<u>VIRGIN ISLANDS</u>					10,140±105	7.95-8.10 m	-1017	"	"
22,370±280		UM-1733	1	99	10,080±100	514-518 cm	-1000	"	122
7600±100		-1734	"	"	9520 ± 95	180-190 cm	-1023	"	"
5940 ± 85		-1732	"	"	9060 ± 95	2.5 m	-1018	"	123
3660 ± 80		-1731	"	"	8640 ± 85	455-459 cm	-999	"	122
2890 ± 90		-1730	"	"	8640 ± 90	6.15-6.3 m	-1015	"	124
2020 ± 80		-1729	"	"	8070±100	990-1000 cm	-1045	"	121
1750 ± 90		-1728	"	"	7810 ± 95	2.5 m	-1046	"	123
<u>WASHINGTON</u>					6920 ± 75	395-399 cm	-998	"	121
43,200 -2280		UM-1753	1	104	6840 ± 90	1.55 m	-1041	"	120
41,500		-1749	"	103	6350 ± 70	4.6-4.7 m	-1048	"	124
39,600		-1750	"	"	5245 ± 65	334-339 cm	-997	"	121
39,210±1730 -1420		-1747	"	"	5145 ± 65	2.3 m	-1071	"	123
36,990±1200 -1040		-1754	"	104	4540 ± 70	2.2 m	-1044	"	"
30,470 +1650 -1370		-1751	"	103	4410 ± 75	2.1 m	-1022	"	"
29,230 +550 -520		-1746	"	"	4185 ± 70	2.95-3.05 m	-1049	"	124
28,910 +690 -630		-1745	"	"	4105 ± 65	263-267 cm	-996	"	121
29,130 +570 -530		-1748	"	"	3215 ± 55	1.55 m	-1040	"	120
23,600 ± 280		-1752	"	"	2430 ± 65	164-169 cm	-995	"	121
11,950 ± 200	830-850 cm	Tx-2663	4	1098	2055 ± 65	138-144 cm	-994	"	"
11,500 ± 560	458-466 cm	-2690	"	"	1770 ± 70	100-110 cm	-1078	"	124
11,300 ± 560	424-466 cm	-2689	"	"	1760 ± 70	76-81 cm	-1043	"	121
10,460 ± 320	607 cm	-2226	"	"	1615 ± 65	1.45 m	-1038	"	120
10,010 ± 220	848 cm	-2233	"	1097	1505 ± 65	1.25 m	-1039	"	"
10,000 ± 220	572-577 cm	-2685	"	1099	1370 ± 70	95-110 cm	-1081	"	124
10,000 ± 150	840-845 cm	-2222	"	1097	620 ± 65	1.05 m	-1036	"	120
9980 ± 160	660-684 cm	-2662	"	1098	380 ± 50	1.40 cm	-1072	"	122
9680 ± 150	570-590 cm	-2661	"	"	245 ± 55	16-21 cm	-993	"	121
9560 ± 110	730-735 cm	-2470	"	1097	4150	10-15 cm	-1042	"	"
9440 ± 120	355-360 cm	-2638	"	1098	4150	180 cm	-1029	"	122
9270 ± 280	710 cm	-2418	"	1097	<u>USSR</u>				
9130 ± 320	581 cm	-2417	"	"	<u>BYELORUSSIAN SSP</u>				
9000 ± 420	525-530 cm	-2684	"	1099	35,700±1100 -1000		Tln-322	1	93
8910 ± 80	563 cm	-2073	"	1097	34,850±2350 -1850		-326	"	"
8840 ± 940	326-332 cm	-2687	"	1098	24,550±300	300 m	-327	"	"
8480 ± 260	440-456 cm	-2660	"	"	17,470±210	375 cm	-309	"	92
8300 ± 80	492-497 cm	-2884	"	1099	17,150±150		-329	"	93
8030 ± 150	254-260 cm	-2686	"	1098	10,650±160	480 cm	-325	"	"
7910 ± 100	315-330 cm	-2659	"	"	5300 ± 80	720 cm	-310	"	92
6930 ± 110	468-473 cm	-2883	"	1099	5050 ± 70	670 cm	-308	"	"
6870 ± 110	435-439 cm	-2881	"	"	<u>CSSR</u>				
6810 ± 190	415-421 cm	-2882	"	"	6800±110	92-100 cm	VRI-547	1	111
6790 ± 130	410-415 cm	-2643	"	"	4240 ± 70	62-70 cm	-546	"	"
6750 ± 190	350-355 cm	-2632	"	"	<u>ARKHANGELSK DISTRICT</u>				
6250 ± 100	275-294 cm	-2658	"	1098	>55,550		Tln-335	1	96
5850 ± 240	632-635 cm	-2220	"	1097	>54,550	450 cm	-312	"	94
4790 ± 230	526-529 cm	-2219	"	"	>52,750		-344	"	95
					>51,600		-315	"	"

GEOLOGIC SAMPLES

% of Modern or Date	Depth	Sample No.	No.	Page	% of Modern or Date	Depth	Sample No.	No.	Page
USSR (cont.)					USSR (cont.)				
ARKHANGELSK DISTRICT					SIBERIA				
51,600		Tln-350	1	96	8900±90	480-500 cm	TA-934	4	1087
51 200		-336	"	"	8610±90	300-340 cm	-667	"	"
46 900±2300	+550-590 cm	-338	"	95	8400±70		-1036B	"	1086
-1750					8300±70	185-195 cm	-1036A	"	"
46 400		-349	"	96	8140±80	580-600 cm	-933	"	1087
46,300		-314	"	95	8000±80	600-625 cm	-1038	"	"
44 600		-351	"	"	7740±70	410-430 cm	-506	"	1086
40 100±5200		-313	"	"	7490±80	400-450 cm	-668	"	1087
-3600					7260±90	550-570 cm	-666	"	1086
38.600±900		-324	"	"	7080±90	350-380 cm	-669	"	1087
-750					6680±70	280-300 cm	-144	"	1086
35,300 500		-323	"	"	6330±80	200 cm	-1037	"	1087
ESTONIA					SIBERIA (cont.)				
41,000±700	350 cm	Tln-328	1	92	6120±80	210-220 cm	-618	"	1086
-2100					5810±70	320-330 cm	-752	"	"
12,050±120	360-370 cm	-687	4	1089	5660±80	480-500 cm	-911	"	1087
12,040±100	530-540 cm	-688	"	1088	5610±70	300 cm	-746	"	1086
9360±80	630-640 cm	-704	"	1085	4350±70	300-310 cm	-596	"	1088
9190±80	468-475 cm	-342	1	92	4260±80	0-10 cm	-1037	"	1087
9140±80	620-630 cm	-703	4	1085	4180±70	260-230 cm	-901	"	1087
8990±90	380-390 cm	-685	"	1089	3710±60	275-285 cm	-507	"	1086
8730±90	590-600 cm	-300	"	1085	3610±60	250-260 cm	-508	"	"
8710±80	580-590 cm	-702	"	"	3580±70	900-920 cm	-902	"	1087
8570±70	570-580 cm	-315	"	"	3380±80	415-425 cm	-907	"	1088
8530±80	780-790 cm	-679	"	1089	3220±60	225-235 cm	-509	"	1088
8500±70	530-540 cm	-314	"	1085	3050±70	190-210 cm	-908	"	1086
8490±70	520-530 cm	-299	"	"	2870±60	140-145 cm	-743	"	1086
8300±90	570-580 cm	-691	"	1086	2610±70	265-275 cm	-906	"	1088
7720±70	510-520 cm	-294	"	1085	2390±70	10-20 cm	-617	"	1086
7580±70	280-290 cm	-261	1	91	2140±80	125-135 cm	-597	"	1087
7350±70	220-230 cm	-254	"	"	1930±60	130-150 cm	-910	"	1087
7165±70	200-220 cm	-253	"	"	1640±70	180-200 cm	-905	"	1088
6980±70	550-560 cm	-701	4	1085	1580±80	100-120 cm	-909	"	1087
6910±100	565-575 cm	-346	1	92	1580±80	100-120 cm	-909	"	1086
6660±90	1160-1170 cm	-650	4	1089	750±60	65-75 cm	-745	"	1088
6620±80	155-165 cm	-340	1	92	440±80	20-40 cm	-904	"	1088
6570±70	420-430 cm	-298	4	1084	190±50	90-100 cm	-510	"	1086
6510±70	215-225 cm	-343	1	92	Modern	30-50 cm	-903	"	1086
6390±90	340-350 cm	-282	"	91	WEST SPITSBERGEN				
6330±70	440-450 cm	TA-700	4	1085	41,700±1200		Tln-279	1	97
5800±90	340-350 cm	-291	"	1084	33,250±500		-298	"	98
5330±80	370-380 cm	-690	"	1088	23,300±500	+5-7 m	-292	"	"
5330±80	410-420 cm	-689	"	"	10,360±260	170-175 cm	-270	"	96
4680±70	270-280 cm	-297	"	1084	9480±120	12-13 m	-275	"	97
4590±80	930-940 cm	-651	"	1089	9450±120	Surface	-276	"	"
4520±70	220-230 cm	-296	"	1084	9370±110	"	-274	"	"
4390±70	200-210 cm	-313	"	"	9330±120	"	-277	"	"
4260±70	180-190 cm	-295	"	"	9330±70	"	-334	"	98
4080±60	90-100 cm	-686	"	1089	9300±130	"	-273	"	97
3920±50	120-130 cm	-312	"	1084	9250±300	"	-321	"	"
3830±70	360-370 cm	-699	"	1085	9220±140	Surface	-278	"	"
3610±70	175-185 cm	Tln-348	1	91	9150±110	1-1.5 m	-272	"	"
3480±60	190-200 cm	-281	"	"	8700±90	Surface	-271	"	"
3340±60	165-173 cm	-347	"	"	8670±60	"	-362	"	"
3210±70	570-580 cm	TA-678	4	1089	8260±80	90-100 cm	-269	"	96
3190±60	125-135 cm	Tln-345	1	92	7965±80	5-15 cm	-268	"	"
2940±60	60-70 cm	TA-293	4	1084	6900±100	"	-320	"	97
2680±80	450-460 cm	-677	"	1089	6590±100	+ 80 m	-319	"	98
2470±60	60-70 cm	-292	"	1084	5350±80	+ 6 m	-280	"	97
2370±70	270-280 cm	-697	"	1085	2990±50	Surface	-353	"	98
2170±70	10-20 cm	-290	"	1084	2080±50	+ 3.1 m	-352	"	"
1540±80	500-510 cm	-652	"	1089	1010±60	"	-300	"	"
1330±60	170-180 cm	-684	"	"	830±50	Surface	-295	"	"
860±60	70-80 cm	-683	"	"	620±60	"	-266	"	96
240±60	190-200 cm	-690	"	1085	150±70	"	-299	"	98
MURMERISK DISTRICT					VENEZUELA				
> 53,000	800-1000 cm	Tln-305	1	94	4500±80		Tx-2326	4	1095
8130±65	150-165 cm	-333	"	"	4480±50		-2275	"	1094
7410±95	70 cm	-260	"	93	3620±90		-2327	"	1095
7400±100	300 cm	-306	"	94	3430±70		-2329	"	"
7300±60	135-145 cm	-332	"	"	3380±50		-2328	"	"
7200±200	400 cm	-307	"	"	3260±50		-2181	"	"
7100±60	150-160 cm	-331	"	"	2840±80		-2280	"	"
6670±80		-267	"	93	1860±60		-2282	"	"
5470±70		-339	"	94	1500±50		-2283	"	"
4665±90	170-180 cm	-256	"	93	1310±60		-2332	"	"
4285±115	160-170 cm	-255	"	"	1170±80		-2274	"	1094
3455±65		-259	"	"	1040±60		-2278	"	1095
3180±100	300 cm	-293	"	94	1020±60		-2276	"	1094
120±70	35 cm	-302	"	"	990±50		-2330	"	1095
100,70	150 cm	-301	"	"	970±70		-2327	"	"
					620±70		-2331	"	"
					310±100		-2325	"	"
					Modern		-2279	"	"

OCEANOGRAPHIC SAMPLES

Date	Depth	Sample No.	No.	Page	Date	Depth	Sample No.	No.	Page
<u>ARABIAN OCEAN</u>					<u>PACIFIC OCEAN</u> (cont.)				
9435:145		BS-109	1	59	15,130 ± 160	26-28 cm	UM-1855	4	1128
8395:145		-107	"	"	14,130 ± 140	7-10 cm	-1911	"	"
8380:140		-110	"	"	14,000 ± 1000	190-210 cm	LJ-4175	"	1042
8300:135		-111	"	"	13,740 ± 130	20-25 cm	UM-1909	"	1128
7845:130		-108	"	"	13,700 ⁺⁶⁹⁰ ₋₆₄₀	1-4 cm	-1778	"	1126
7470:135		-112	"	"	13,450 ± 140	20-25 cm	-1777	"	"
<u>ATLANTIC OCEAN</u>					13,040 ± 190	20-25 cm	-1759	"	1125
31,400 ⁺¹⁶⁵⁰ ₋₁₄₅₀	55 cm	QC-249	4	1077	12,645 ± 160	20-25 cm	-1765	"	1126
29,500 ⁺¹⁹⁰⁰ ₋₁₆₀₀	50 cm	-248	"	"	12,590 ± 120	24-26 cm	-1854	"	1128
27,200 ⁺¹³⁰⁰ ₋₁₂₀₀	40 cm	-247	"	"	12,500 ± 180	34-36 cm	LJ-4521	"	1042
18,300 660	46.8 cm	-317	"	"	12,070 ± 150	20-25 cm	UM-1906	"	1127
10,850 280	25 cm	-246	"	"	11,820 ± 120	22-24 cm	-1853	"	1128
	GEOSSECS	ML&QL	1	1-24	11,800 ± 120	20-25 cm	-1768	"	1126
					11,650 ± 150	20-25 cm	-1900	"	1127
<u>BAHAMAS</u>					11,580 ± 150	20-25 cm	-1771	"	1126
35,800 ± 2200	99-101 cm	TX-2999	4	1090	11,520 ± 170	20-25 cm	-1774	"	"
30,600 ± 2400	59-61 cm	-3004	"	1091	10,700 ± 600	5-7 cm	LJ-4223	"	1042
26,250 ± 680	140 cm	-3030	"	1092	10,690 ± 150	20-25 cm	UM-1762	"	1125
26,500 ± 1000	79-81 cm	-2998	"	1090	9895 ± 120	20-25 cm	-1903	"	1127
22,670 ± 290	110 cm	-3028	"	1092	9410 ± 90	1-5 cm	-1910	"	1128
21,260 ± 490	88 cm	-3031	"	"	9250 ± 110	20-22 cm	-1852	"	"
20,880 ± 490	140 cm	-3032	"	"	8930 ± 110	20-25 cm	-1897	"	1127
17,210 ± 310	88 cm	-3029	"	"	7800 ± 160	18-20 cm	-1851	"	1128
13,880 ± 150	80 cm	-3034	"	"	7880 ± 100	16-18 cm	-1850	"	"
12,260 ± 160	59-61 cm	-3003	"	1091	7530 ± 220	1-4 cm	-1757	"	1125
9970 ± 90	200 m	-3035	"	1092	7330 ± 90	14-16 cm	-1849	"	1128
8380 ± 110	295 m	-3033	"	"	7210 ± 90	7-10 cm	-1893	"	1127
8230 ± 260	424-427 cm	-3231	"	1093	6820 ± 100	12-14 cm	-1848	"	1128
6940 ± 80	420-422 cm	-3233	"	"	6810 ± 420	7-10 cm	UM-1758	"	1125
6550 ± 90	59-61 cm	-3003	"	1091	6810 ± 70	18-20 cm	LJ-4520	"	1042
6510 ± 90	376-378 cm	-3234	"	1093	6800 ± 100	10-12 cm	-1847	"	1128
5840 ± 80	489-493 cm	-3229	"	"	6580 ± 280	1-4 cm	-1763	"	1125
4650 ± 70	405 m	-3027	"	1092	6500 ± 100	1-5 cm	-1892	"	1127
4410 ± 100	415-417 cm	-3230	"	1093	6340 ± 180	7-10 cm	-1776	"	1126
4120 ± 100	245-247 cm	-3232	"	"	6320 ± 170	1-4 cm	-1760	"	1125
4010 ± 60	39-41 cm	-2997	"	1090	6030 ± 210	7-10 cm	-1767	"	1126
3920 ± 90	310-313 cm	-3236	"	1093	5960 ± 190	7-10 cm	-1764	"	1125
3870 ± 60	88 cm	-3005	"	1091	5950 ± 170	7-10 cm	-1761	"	"
3860 ± 60	19-21 cm	-3002	"	"	5920 ± 100	7-10 cm	-1908	"	1128
3800 ± 100	410-413 cm	-3235	"	1093	5870 ± 90	7-10 cm	-1899	"	1127
2610 ± 60	18.5-21.5 cm	-3000	"	1090	5780 ± 150	1-4 cm	-1766	"	1126
2040 ± 140	200-202 cm	-3240	"	1093	5680 ± 150	20-25 cm	-1775	"	"
1970 ± 60	6-8 cm	-3001	"	1091	5620 ± 130	7-10 cm	-1770	"	"
1940 ± 70	210-213 cm	-3242	"	1093	5570 ± 90	7-10 cm	-1905	"	1127
1790 ± 60	45-50 cm	-3006	"	1091	5520 ± 220	1-4 cm	-1772	"	1126
1640 ± 50	110-113 cm	-3238	"	1093	5460 ± 110	7-10 cm	-1773	"	"
1190 ± 80	69-73 cm	-3237	"	"	5210 ± 100	8-10 cm	-1846	"	1128
1110 ± 70	100-102 cm	-3241	"	"	5040 ± 80	7-10 cm	-1902	"	1127
1060 ± 50	10-13 cm	-3239	"	"	4850 ± 100	1-4 cm	-1759	"	1126
80 ± 40		-3008	"	1091	4710 ± 110	4-6 cm	-1844	"	1128
Ultra Modern		-3009	"	"	4680 ± 90	1-5 cm	-1898	"	1127
					4400 ± 100	2-4 cm	-1843	"	1128
					4400 ± 80	6-8 cm	-1845	"	"
					4380 ± 110	7-10 cm	-1896	"	1127
					4340 ± 70	1-5 cm	-1901	"	"
					4250 ± 100	1-5 cm	-1907	"	1128
16,760 ± 300	275-290 cm	UM-1825	4	1116	4200 ± 100	3-5 cm	LJ-4519	"	1042
11,600 ± 200	150-165 cm	-1801	"	"	4090 ± 70	0-2 cm	UM-1892	"	1128
10,500 ± 200	5 cm	-1814	"	"	4020 ± 80	1-5 cm	-1904	"	1127
7390 ± 110	92-107 cm	-1824	"	"	3980 ± 70	0-3 cm	LJ-4518	"	1042
6110 ± 100	3-10 cm	-1815	"	"	3700 ± 60	1-5 cm	UM-1895	"	1127
					+45 ± 12‰	3800 m	LJ-4737	"	1043
					+37 ± 8‰	3800 m	-4339	"	"
					+27 ± 7‰	3800 m	-4338	"	"
31,900 ± 2500	20-25 cm	UM-1780	4	1126		GEOSSECS	ML&QL	1	25-53
27,630 ± 350	20-25 cm	-1912	"	1128					
24,290 ± 240	38-40 cm	-1861	"	"					
23,700	19-21 cm	LJ-4301	"	1042					
23,700 ± 310	36-38 cm	UM-1860	"	1128					
22,890 ± 430	34-36 cm	-1859	"	"					
20,330 ± 220	32-34 cm	-1858	"	"					
20,300 ± 2200	11-13 cm	LJ-4222	"	1042					
19,180 ± 210	20-25 cm	UM-1894	"	1127					
18,500 ± 1900	7-9 cm	LJ-4221	"	1042					
17,390 ± 350	7-10 cm	UM-1779	"	1126					
17,320 ± 220	30-32 cm	-1857	"	1128					
16,930 ± 220	28-30 cm	-1856	"	"					