RUDJER BOŠKOVIĆ INSTITUTE RADIOCARBON MEASUREMENTS VI

DUŠAN SRDOČ, ADELA SLIEPČEVIC*, BOGOMIL OBELIC, and NADA HORVATINČIC

Rudjer Bošković Institute, PO Box 1016, 41001 Zagreb, Yugoslavia

The following radiocarbon date list contains dates of samples measured since our previous list (R, 1979, v 21, p 131-137). As before, age calculations are based on the Libby half-life 5570 ± 30 yr and reported in years before 1950. The modern standard is 0.95 of the activity of NBS oxalic acid. Sample pretreatment, combustion, and counting technique are essentially the same as described in R, 1971, v 13, p 135-140, supplemented by new techniques for groundwater processing (R, 1979, v 21, p 131-137) and for soil sample treatment (R, 1977, v 19, p 465-475).

Statistical processing of data has been computerized (Obelić and Planinić, 1977). Sample descriptions were prepared with collectors and submitters. The errors quoted correspond to 1σ variation of sample net counting rate and do not include the uncertainty in ¹⁴C half-life.

Calculations of age or percent of modern of speleothems and ground-waters are based on the initial activity equal to 0.85 of the NBS oxalic acid activity multiplied by 0.95.

ACKNOWLEDGMENTS

We thank E Hernaus for preparation of samples and methane synthesis, A Turković for data processing, and P Hojski for technical help.

I. ARCHAEOLOGIC SAMPLES

Čazma series

Fragments of wooden pipeline buried in loamy mud, Čazma (45° 45′ N, 16° 38′ E) central Croatia. Pipeline used for water supply. Samples date occupation of site. Coll and subm 1977 by H Malinar, Croatian Inst Restoration, Zagreb. *Comment* (HM): expected age: 13th century AD.

Z-569. 240 ± 60

Fragments of wooden pile supporting the pipeline.

Z-669. 580 ± 90

Fragments of wooden pipeline.

Z-578. Krka River

 1210 ± 70

Fragments of wood (*Quercus*) 4m below Krka R bed near Hodoš (46° 49′ N, 16° 19′ E) Slovenia. Sample dates anthropogenically degraded vegetation. Coll and subm 1977 by A šercelj, Slov Acad Sci and Arts, Ljubljana.

Gospodska pećina series

Charcoal from entrance hall in cave above spring of Cetina R (43° 59′ 2″ N, 16° 26′ 11″ E) N Dalmatia. Coll and subm 1977 by M Malez, Yugoslav Acad Sci and Arts, Zagreb (Malez, 1975; 1979).

^{*} Faculty of Veterinary Medicine, Univ Zagreb, Yugoslavia

Z-579. 7010 ± 90

Charcoal from lower hearth in Stratum C containing animal bones of older Holocene (*Cervus* sp, *Capreolus* sp). *Comment* (MM): expected age: beginning of Younger Boreal period.

Z-580. 5130 ± 90

Charcoal from upper hearth in the middle of calcite plate, Stratum B. Comment (MM): expected age: Older or Younger Atlantic period.

Z-582. Donja Šatornja

 610 ± 70

Charcoal from burial place No. 2/77 in St Nicholas church, Donja Satornja (44° 11′ N, 20° 41′ E) near Topola, Serbia. Sample dates burial site. Coll and subm 1977 by D Madas, Inst Preservation Cultural Monuments, Kragujevac. Comment (DM): expected age: 14th century AD.

Z-586. Tophana, Imotski

 230 ± 60

Fragments of wooden beams found in stony walls of Armory ("Tophana"), Imotski (43° 27′ N, 17° 13′ E) SE Croatia. Coll and subm 1978 by B Bezić, Regional Inst Preservation Cultural Monuments, Split. Comment (BB): expected age: 15th to 16th century AD.

Z-604. Viganj

 240 ± 60

Fragments of wooden ship 3m below sea surface in port of Viganj (42° 59′ N, 17° 4′ E) Pelješac peninsula, SE Croatia, Dalmatia. Coll and subm 1979 by Ž Rapanić, Archaeol Mus Split.

Z-605. Slavkovica

 940 ± 80

Charcoal from burial place No. 43/78, Slavkovica (44° 10′ N, 20° 16′ E) Serbia. Sample dates necropolis of medieval Serbian state. Coll and subm 1978 by D Madas. *Comment* (DM): expected age: 14th to 15th century AD.

Kostajnica series

Fragments of wood from piles and beam found in foundation of fortress walls, Kostajnica near Una R (45° 13′ N, 16° 32′ E), W Bosnia. Dates sequences of fortress building. Coll and subm 1978 by D Miletić, Croatian Inst Restoration, Zagreb. *Comment* (DM): expected age: 300 yr.

Z-607.	No. 1		220 ± 50
	_	_	

Fragments of wooden pile.

Z-608. No. 7
$$570 \pm 60$$

Fragments of wooden pile.

Z-609. No. 5
$$390 \pm 60$$

Fragments of wooden pile.

Z-610. No. 3
$$120 \pm 60$$

Fragments of wooden pile.

Z-611. No. 4 380 ± 60

Fragments of wooden beam.

Notranje Gorice series

Wooden fragments of pile dwellings in recent humus at Notranje Gorice (45° 59′ 30″ N, 14° 24′ 30″ E). Coll 1979 by Z Harej, Fac Arts and Sci Ljubljana; subm by A šercelj. Dates pile dwellings.

Z-717	. No. 7	3090 ± 90
Z-718	. No. 9	3720 ± 100
Z-719	No. 61	4720 ± 100
Z-722. 1	Koprivnička Rijeka, 1	Rudina I 3750 ± 110

Charcoal from waste pit at Rudina near Koprivnička Rijeka (46° 07' N, 16° 37' E) NE Croatia. Dates settlement of latest phase of Vučedol culture. Coll by Z Marković, Mus Koprivnica; subm 1979 by M Malez. Comment (ZM): expected age: beginning of Early Bronze age (Marković, 1981).

Privlaka series

Samples from fortress Gradina (45° 12' N, 18° 51' E) near Vinkovci, E Croatia. Dates settlement stratification and fortification construction. Coll and subm 1979 by Nives Pandžić, Center for Hist Sci, Zagreb. Comment (NP): expected age: 1st to 2nd century BC.

Z-726. Privlaka 1
$$2170 \pm 80$$

Charcoal from fortress walls reinforced with wooden beams, partially carbonized at surface.

Z-727. Privlaka 2 6030 ± 100

Charcoal from partially burned wooden beam in house floor.

Z-728. Privlaka 3 5600 ± 120

Wheat grains in soil 1.7m below floor in ruins of burned house.

Z-634. Lipe 1940 ± 80

Fragments of wooden (Quercus) boat 16m long buried in ploughed land overlying lake chalk, 20 to 30cm below surface at Lipe (45° 59′ 10″ N, 14° 26′ 40″ E). Continuation of palynol and archaeol investigations of Ljubljansko Barje, swamp with peat bogs and cultivated land, 20km long and 10km wide, S and SW of Ljubljana, Slovenia. Coll 1978 by Tatjana Bregant, Fac Arts and Sci, Ljubljana; subm by A šercelj. Comment (TB): expected period: Neolithic.

Parti series

Wooden fragments of pile dwellings in cultural stratum, at 80 to 100cm depth at Parti, SE part of Ljubljansko Barje (45° 59′ 20″ N, 14° 32′ 20″ E). Dates pile dwelling settlements. Coll 1979 by T Bregant; subm by A šercelj. *Comment* (Aš): expected period: Bronze age. Corresponds to earlier measurements Z-539, -540 (R, 1979, v 21, p 133).

Rudje	er Bošković	Institute	Radio carbon	Measurements	VI	413
-------	-------------	-----------	--------------	--------------	----	-----

Z-646. No. 1	4160 ± 100
Z-647. No. 2	4010 ± 100
Z-716. No. 9	4200 ± 100
Z-687. Grabovica	3210 ± 70

Charcoal from funeral pyre, 0.5m deep in grave, at Grabovica near Doboj (44° 44′ N, 18° 07′ E), Bosnia. Date supports archaeol placement of cremation in Bronze age. Coll and subm 1979 by B Belić, Mus Doboj.

Trogir series

Charcoal from hearth, 3m below surface and 2m below sea level in Lapidary, Trogir (43° 31' N, 16° 15' E) SE Croatia, Dalmatia. Sample assoc with ceramics, bones, and limestone fragments. Coll 1979 by I Babić, Town Mus Trogir; subm by J Radovčić. Comment (JR): expected age: 3000 to 4000 yr.

Z-696. Trogir I	2840 ± 90
Z-697. Trogir II	3580 ± 100
Z-734. Dolmen de Bertrandoune I	4090 ± 80

Human bones from lowest part of archaeol level in funerary room of La Bertrandoune dolmen near Prayssac, Lot (44° 31′ N, 1° 12′ E). Samples were cross-checked using method of chemical pretreatment of bones (Horvatinčić *et al*, ms in preparation.). *Comment*: agrees well with Ly-1220 (R, 1978, v 20, p 19).

Rudnik series

Fragments of wood and charcoal, Ljubljana-Rudnik (46° 0′ 55″ N, 14° 32′ 30″ E) Slovenia. Coll 1980 by T Bregant; subm by A šercelj. Samples date palynol established age of anthropogenically degraded vegetation in clay.

Z-737. Rudnik 3290 ± 120

Fragments of wood assoc with wooden oar buried in peaty humus, Zone 1, Trench 3.

Z-773. Rudnik 2700 ± 100

Charcoal from marshland, Trench 6, 50 to 60cm depth.

II. GEOLOGIC SAMPLES

Z-572. Lesno brdo 1780 ± 70

Fragments of wood from open profile, 1.5m below surface, Lesno brdo (46° 5′ N, 14° 20′ E) Ljubljansko Barje, Slovenia. Coll and subm 1977 by A šercelj. Date supports palynol determined age (Younger Holocene).

Ledine series

Peat from bore hole in pond, 1120m above msl on plateau of Mt Jelovica (46° 15′ 40″ N, 14° 6′ 25″ E) Slovenia. Coll 1977 by M Zupančić; subm by A šercelj. Supports palynol established vegetational phases.

4	4	à
4	1	2

Z-573.	0.5m	980 ± 80
Z-574.	1.8m	2220 ± 70
Z-575.	3.8m	3600 ± 80
Z-576.	4.6m	4020 ± 80
Z-577.	6.4m	6960 ± 90

Jama Rupa series

Fragments of wood and charcoal from different layers in "ponor" (swallow hole) Ljubija R between Smrekovac and Golte Mts (46° 24′ N, 14° 37′ E) Karavanke Mts, Slovenia. Hole entrance, 908m above msl. Coll 1978 by A Kranjc and A Vadnjal, Slovenian Acad Sci and Arts, Postojna; subm by R Gospodarič. Dates sedimentation process. *Comment* (RG): expected age: Holocene.

Z-587. Layer 7	130 ± 70
Wooden fragments from Layer 7, depth 0.7m.	
Z-588. Layer 8	120 ± 70
Charcoal from Layer 8, depth 0.5m.	
Z-589. Layer 2/3	120 ± 60
Charcoal from Layer 2/3, depth 2.1m.	

Tučić ponor series

Twig with calcite coating from base of "ponor" Tučić, 147m deep, Ričica R, Gračac polje near Gračac (44° 18′ N, 15° 51′ E) Lika, Central Croatia. Coll and subm 1978 by S Božičević, Geol Inst Zagreb. Dates period of calcite precipitation (Srdoč *et al*, 1980).

Z-615.	270 ± 80
Fragments of wood.	
Z-616.	Modern

Calcite coating.

Učka Tunnel series

Speleothems from cavern in limestone karst, Učka tunnel (45° 19′ N, 14° 13′ E) Istria, W Croatia. Discovered during construction of hwy through Mt Učka. Coll and subm 1978 by S Božičević. Dates periods of growth of speleothems, formation of cave, and tectonic changes.

will of specestrems, formation of cave, and tectome change	5cs.
Z-617. No. 1	>40,000
Base of stalagmite from rock, Hall No 3.	ŕ
Z-618. No. 2	>40,000
Base of stalagmite from limestone boulder near siphon.	,000

Z-619. No. 3 $10,000 \pm 200$

Base of stalagmite from overturned limestone block.

Z-648. No. 4 $28,100 \pm 1300$

Base of stalagmite from limestone block.

Z-649. No. 5 7330 ± 150

Base of stalagmite from limestone rock.

+ 1700

Z-650. No. 6 31,400 - 1400

talagmite from limestone chips

Base of stalagmite from limestone chips.

Z-645. Volarje

 $12,600 \pm 220$

Leaves embedded in lake chalk, from open profile in left bank of Soča R near Volarje (46° 12′ N, 13° 40′ E), Slovenia. Coll by L Žlebnik, Geol Inst Ljubljana; subm 1978 by A šercelj. Palynol analysis dates sample to beginning of last Würm. Sample dates lake chalk sedimentation rate.

Z-713. Sečovlje

 8900 ± 120

Organic detritus in core of bore hole V-6, 26.5m deep, salt works Sečovlje (45° 29′ 20″ N, 13° 38′ 25″ E) Slovenia. Coll by B Ogorelec, Geol Inst Ljubljana; subm 1979 by A Šercelj. Palynol analysis suggests beginning of Holocene.

Z-714. Erjavčeva cesta

>40,000

Sandy peat 5m below surface, Erjavčeva cesta, Ljubljana (46° 3′ 35″ N, 14° 30′ 15″ E) Slovenia. Coll and subm 1979 by A Sercelj. Palynol analysis indicates Pleistocene.

Kuk series

Speleothem from conglomerates in Kuk cave, Bistrica R canyon near Dobro polje (43° 36′ N, 18° 31′ E), Bosnia. Dates cave stratigraphy. Coll and subm 1979 by E Kulenović, Geoinženjering, Sarajevo. *Gomment* (EK): expected period: Upper Pleistocene.

+2290

Z-723. EK-PE-6

34,800

-1780

Speleothem from conglomerates embedded in sandy-gravel layer, 2.5 to 3m below surface of cave.

+5100

Z-724. EK-3/II

39,100

-- 3000

Speleothem, 80cm below stratum of calcareous tufa containing fossil bones.

+2750

Z-725. EK-PE-13

35,000

-2080

Speleothem from upper layer of gravel mixed with sand.

Z-732. Gigića pećina

 $19,300 \pm 430$

Crystalline calcite from dripstone slab, 25 to 50cm thick, Gigića cave above village Resanovci (850m) W Bosnia. Clay stratum, 100cm thick, below dripstone contains animal bones (*Ursus spelaeus*). Coll and subm 1980 by M Malez (Malez *et al*, 1972).

Babja jama series

Fragments of wood in dark gray clay, Vogršček (46° 8′ N, 13° 43′ E) near Most na Soči, Slovenia. "Ponor" (swallow hole), occasionally turns into karst spring. *Comment* (RG): pollen analysis points to Holocene. Coll and subm 1980 by R Gospodarič, Slovenian Acad Sci and Arts, Postojna.

Z-763.	Sample	1
--------	--------	---

 150 ± 80

Fragments of wood, upper layer.

 310 ± 80

Fragments of wood, lower layer.

Jama Luknja series

Stalagmite with embedded human bones in cave below Luknja castle (45° 49′ N, 15° 6′ E), Krka R valley near Novo Mesto, Slovenia. Coll by A Medle, Speleol Soc Novo Mesto; subm 1980 by R Gospodarič. Comment (RG): expected period: Holocene.

Z-765. Sample 1

 1320 ± 110

Calcite from base of stalagmite close to bone.

Z-766. Sample 2

 230 ± 100

Calcite, tip of stalagmite, Z-765.

Z-780.

 2450 ± 120

Dripstone, 1cm thick deposited on human bone.

Kopačina series

Snail shells (*Helix* sp) 50cm thick cemented with dripstone from Kopačina Cave near Donji Humac, Brač I, Dalmatia. Shell layer overlies postglacial stratum rich with fauna (*Cervus elephus, Capreolus capreolus, Sus scrofa*). Coll 1980 and subm by M Malez. Dates formation of snail shell layer between upper humus layer and lower postglacial sediments (Čečuk, in press).

Z-776. Sample 1

 4000 ± 110

Dripstone with fragments of shells.

Z-778. Sample 2

 7850 ± 140

Snail shells; most of dripstone removed.

III. GEOCHEMICAL SAMPLES

Radiocarbon assays were done in most cases to complete physical and chemical data on water samples from various aquifers, thermal and

mineral springs, etc. Besides radiocarbon and chemical analyses, tritium and stable isotope analyses (13C, 18O, and 2H) were considered most important for hydrogeologic interpretation of data.

Results of radiocarbon analyses of geochemical samples are presented as percent modern. Where applicable, apparent age of water samples is given, calculated on the assumption that no mixing of water or depletion of radiocarbon content occurred. Calculation of apparent age is based on initial activity equal to 0.85 of modern standard and on the Libby halflife, 5570 ± 30 yr.

Mineral waters of Slovenia

Rogaška Slatina series

Mineral waters from Rogaška Slatina spa (46° 14' N, 15° 39' E), E Slovenia. Coll Nov 1980 and subm by J Pezdič, "Jožef Štefan" Inst, Ljubljana. Hydrologic study of mineral waters (table 1).

Table 1				
Lab no.	Sample	Well type	% Modern	Apparent age (yr)
Z-614	V-3-66	Bore hole	0.6 ± 0.6	>40,000
Z-771	G-2	Bore hole	1.7 ± 0.3	$+2000 \\ -1700$
Z-772	G-4	Bore hole	91.0 ± 0.6	Modern

Radenci series

Mineral waters from artesian and subartesian wells, Slatina Radenci spa (46° 40' N, 16° 05' E) near Gornja Radgona, NE Slovenia. Coll Aug 1978 by J Pezdič and A Popovič; subm by I Kobal, "Jožef Štefan" Inst, Ljubljana. Dated to study origin of water (table 2).

TABLE 2

Lab no.	Sample	Well type	Depth (m)	% Modern	Apparent age (yr)				
Z-595	Jurjev vrelec	Subartesian	26	2.1 ± 0.5	$+1500 \\ -1300$				
Z-596	V-U	Artesian	161	22.0 ± 0.4	$12,100 \pm 200$				
Z-597	K-2	Subartesian	10	1.7 ± 0.6	$+4300 \\ -2800$				
Z-598	K-1	Subartesian	17	1.9 ± 0.6	$+1700 \\ -1400$				
Z -599	K-3	Subartesian	9	8.9 ± 0.4	$19,400 \pm 380$				
Z-601	Zelezni vrelec	Artesian	9	0.3 ± 0.5	>40,000				
Z-602	Zdravilni vrelec	Subartesian	22	0.0 ± 0.0	>40,000				

TABLE 3

Lab no.	Sample	Well type (m)	Depth (m)	Loca N Lat	Location N Lat E Long	Colln date % Modern	% Modern	Apparent age (yr)
089-Z	Stupnik	Bore hole	Ca 850	45°41′	45° 41′ 15° 50′	6//9	1.2 ± 0.5	+2600 $35,700$ -1900
Z-733	Sv Ivan, Zelina	Bore hole	Ca 790	46° 58′ 16° 15′	16° 15′	08/9	1.6 ± 0.4	+2350 $33,200$ -1900
Z-758	Sv Ivan, Zelina	Spa	Surface	46°55′	46° 55′ 15° 59′	8/80	45.2 ± 0.4	5050 ± 100
Z-736	Tuheljske toplice	$_{ m Spa}$	Surface	46° 04′ 15° 47′	15° 47′	8/80	36.1 ± 0.4	8150 ± 110
Z-759	Krapinske toplice	Spa	Surface	46° 06′ 15° 50′	15°50′	08/6	5.9 ± 0.4	$21,600 \pm 570$
Z-761	Sutinske toplice	Spa	Surface	46°03′	46°03′ 16°02′	10/80	7.0 ± 0.4	$20,100 \pm 550$
Z-762	Stubičke toplice	Spa	Surface	45° 49′ 15° 56′	15°56′	10/80	22.2 ± 0.4	$10,800 \pm 200$
694-Z	šemničke toplice	Spa	Surface	46° 06′ 15° 56′	15°56′	10/80	19.4 ± 0.4	$11,800 \pm 200$
Z-774	Obradovci 2	Bore hole	Ca 580	45°37′ 17°57′	17° 57′	11/80	1.2 ± 0.3	$^{+2600}_{33,800}_{2000}$
Z-775	Sv Jana near Samobor	Spring	Surface	45°43′ 15°36′	15°36′	11/80	59.2 ± 0.5	2830 ± 100

Thermal waters of Croatia

 $1.7 \pm 0.3 \%$ modern + 1500

Z-756. Migalovci

Apparent age: 32,700

-1250

Thermal water from artesian well, 370m deep, at Migalovci (45° 20' N, 18° 01' E) NE Croatia. Coll Aug 1980 by A Vujinac; subm by M Zelenika, Geotehnika, Zagreb. Dated to study origin of water.

NW and **NE** Croatia series

Samples of water from several thermal springs in NW and NE Croatia. Coll and subm 1979 by INA-Naftaplin staff, Zagreb. Dated to study hydrologic properties of thermal waters (table 3).

Thermal waters and groundwaters of Bosnia and Hercegovina

Hydrologic investigations of thermal waters and groundwaters in Bosnia and Hercegovina. Coll and subm by Geoinženjering staff, Sarajevo.

 $1.0\pm0.3\,\%\,\mathrm{modern}\ +3400$

Z-566. Višegradska banja

37,300

-2300

Thermal water of artesian type, Višegrad spa (43° 47′ N, 19° 19′ E), Bore hole SB-2. Coll 1977 and subm by N Miošić.

Z-690. Banja Ilidža

 $8.9 \pm 0.6 \%$ modern $18,000 \pm 350$

Thermal water from Bore hole B-6 at Ilidža spa near Gradačac (45° 54′ N, 18° 25′ E). Coll 1979 and subm by D Mulaosmanović.

 $9.5 \pm 0.4 \%$ modern $17,650 \pm 270$

Z-698. Banja Tomina Ilidža

Thermal water from Ana spring, Ilidža near Sanski most (44° 41′ N, 16° 47′ E). Coll and subm by N Miošić.

 $43.5 \pm 0.6 \%$ modern

Z-729. Gradačac

 5140 ± 130

Groundwater, Bore hole GA-4, total depth 110m, Gradačac. Coll 1980 and subm by N Miošić.

 $5.5 \pm 0.3 \%$ modern

Z-767. Sočkovac

 $21,900 \pm 550$

Thermal water from Well OS-2, 76m deep, near Gračanica (44° 40′ N, 18° 18′ E). Coll 1980 and subm by M Butorac.

 $0.9 \pm 0.3 \%$ modern + 3500

Z-768. Boljanić

36,400

-2500

Thermal water from Well OB-1, 73.5m deep, Gračanica (44° 41′ N, 18° 14′ E). Coll 1980 and subm by N Butorac.

Gata series

Thermal water from drilled wells at Gata (44° 56′ N, 15° 48′ E) near Bihać, E Bosnia. Coll July 1979 and subm by N Čubranić, Industroprojekt, Zagreb.

Z-688. Well B-X

 $22.6 \pm 0.6 \%$ modern $12,000 \pm 200$

Z-689. Well B-8

 $10.8 \pm 0.6 \%$ modern $17,900 \pm 460$

 $0.3 \pm 0.3 \%$ modern >40,000

Z-757. Kaniža

Water from artesian well, 250m deep, at Kaniža (45° 07' N, 17° 53' E) near Bosanski Brod, Bosnia. Coll by A Vujinac; subm by M Zelenika, Geotehnika, Zagreb. Hydrologic study for water resource of Kaniža region.

Groundwaters of Vojvodina

Subotica series

Water from drilled wells, Subotica, N Vojvodina. Coll and subm Jan 1979 by A Tot Bagi. Water resource development, Subotica (table 4).

TABLE 4

Lab no.	Sample	Well type	Depth (m)		ation E Long	Colln date	% Modern	Apparent ag (yr)
Z-652 Z-653 Z-654	Kelebija Novi Žednik 1 Subotica, Well 23	Drilled Drilled Drilled	128 118 —	46° 09′ 45° 56′ 46° 06′	20 00	1/79	48.7 ± 0.8 16.7 ± 0.4 42.9 ± 0.7	5740 ± 13 $14,200 \pm 25$ 6780 ± 13

Ruma series

Water samples from drilled wells, Ruma (45° 01′ N, 19° 50′ E) SW Vojvodina. Coll and subm by M Lazarević, "Jaroslav Černi" Inst, Beograd. Water resource development, Ruma (table 5).

Table 5

Lab no.	Sample	Well type	Depth (m)	Colln date	% Modern	Apparent age (yr)
Z-591 Z-592 Z-731	Fišcrov salaš Borkovac Hrtkovci, HB-2	Subartesian Subartesian Well	148 280 60.0	$\frac{5/78}{5/78}$ $\frac{5}{2}$	21.5 ± 0.4 24.7 ± 0.4 68.3 ± 0.7	$12,300 \pm 210$ $11,200 \pm 170$ 1680 ± 90

REFERENCES

Čečuk, B, in press, Kopačina, Otok Brač-Višeslojno prethistorijsko nalazište: Arheološki pregled, v 22, in press. Evin, J. Marien, G. and Pachiaudi, C. 1978, Lyon natural radiocarbon measurements

VII: Radiocarbon, v 20, p 19-57.

Malez, M, Rukavina, D, and šlišković, T, 1972, Eine neue paläontologische und paläolitische Fundstelle in Westbosnien: Bull Scientifique, sec A, v 17, p 229-231.

Malez, M, 1975, Einige Probleme des Paläolithikums an der Ostküste des Adriatischen Meeres: Rad JAŽU, Knj 371, Razred za prir znanosti, Knj 17, p 121-153.

1979, Die Höhle Gospodska peĉina-eine neue paläolithische Fundstelle in Dalmatien: Archéol et hist dalmates Bull, v 72-73, p 1-11.

Marković, Z, in press, Vučedolska populacija u sjeverozapadnoj Hrvatskoj: Archeol vestnik, v 32, in press.

Miošić, N, 1980, Radiocarbon dating of thermal waters in Višegrad spa: Fizika, v 12,

supp 2, p 169-171.

- Obelić, B and Planinić, J, 1977, Computer processing of radiocarbon and tritium data, in Povinec, P and Usačev, S, eds, Internatl conf low radioactivity measurement and applications, Proc. The High Tatras, Slovenské pedagogické nakladatelstvo, Bratislava, p 117-120.
- Srdoč, D, Breyer, B, and Sliepčević, A, 1971, Rudjer Bošković Institute radiocarbon measurements I: Radiocarbon, v 13, p 135-140.
- Srdoč, D, Sliepčević, A, Obelić, B, and Horvatinčić, N, 1977, Rudjer Bošković Institute radiocarbon measurements IV: Radiocarbon, v 19, p 465-475.

- 1979, Rudjer Bošković Institute radiocarbon measurements V: Radiocarbon,

v 21, p 131-137.

1980, Radiocarbon dating of calcareous tufa: How reliable data can we expect?, in Stuiver, Minze and Kra, Renee, eds, Internatl radiocarbon conf, 10th, Proc: Radiocarbon, v 22, no. 3, p 858-862.