UCLA RADIOCARBON DATES X

RAINER BERGER

Institute of Geophysics, Departments of Anthropology and Geography University of California, Los Angeles, California 90024

and

JONATHON ERICSON

Department of Anthropology and Peabody Museum Harvard University, Cambridge, Massachusetts 02138

The measurements reported in this date list form the chronometric framework for obsidian hydration and trade studies in California (Ericson, 1975; 1977; 1978; 1981; Ericson et al, 1975; Singer and Ericson, 1977). All samples were analyzed as CO_2 gas at close to 1 atm in a 7.5L proportional counter with three energy channels. Radiocarbon ages are based by convention on the 5568 ± 30 yr half-life. The biospheric standard is 95% the count rate of NBS oxalic acid for radiocarbon laboratories. Background is based on CO_2 obtained from marble. Counter operation is checked against a historically dated wood sample from the funerary boat of Sesostris III, $1872 - \frac{44}{-8}$ BC (Hayes, 1962). All samples were subjected to accepted NaOH, HCl or other special chemical treatments to exclude contamination. No tree-ring calibration was applied to any of the samples listed.

ACKNOWLEDGMENTS

We are indebted for support to the National Science Foundation and the following colleagues: M A Baumhoff, J A Bennyhoff, C W Clewlow, Suzanne DeAtley, A B Elsasser, F Findlow, D Fredrickson, the late R F Heizer, I R Kaplan, the late W F Libby, N Leonard, C W Meighan, J Michels, F A Riddell, C A Singer, E G Stickel, and C White. This is publication No. 2356, Institute of Geophysics and Planetary Physics, UCLA.

SAMPLE DESCRIPTIONS

California

Mammoth Junction series

Samples coll 1963-64 during excavation of Mammoth Junction site, 4-Mno-382, Mono Co (37° 39′ N, 118° 50′ W) by J W Michels and G L Sterud, Dept Anthropol, Univ California, Los Angeles and subm by J E Ericson.

Mammoth Junction site was large (8.5 ha) obsidian quarry workshop and occupation site, adjacent to Casa Diablo obsidian source (Ericson, Hagan, and Chesterman, 1976). This series of dates, assoc with many obsidian hydration measurements, was selected in order to substantiate diachronic production of obsidian for trade.

660 ± 60	UCLA-1724A. Mammoth Junction Charcoal, Pit 26, 15 to 30cm depth.
430 ± 80	UCLA-1724B. Mammoth Junction Charcoal, Pit 29, 15 to 30cm depth.
1000 ± 50	UCLA-1724C. Mammoth Junction Charcoal, Pit 14, 45 to 60cm depth.
170 ± 60	UCLA-1724D. Mammoth Junction Charcoal, Pit 17, 15 to 30cm depth.
450 ± 100	UCLA-1724E. Mammoth Junction Charcoal, Pit 16, 15 to 30cm depth.
600 ± 60	UCLA-1724F. Mammoth Junction Charcoal, Pit 14, 15 to 30cm depth.

Elderberry Canyon series

Samples coll 1970 during salvage excavations of Elderberry Canyon site, 4-LAn-324, Los Angeles Co (34° 34′ N, 118° 38′ W) by Clay A Singer and personnel of Archaeol Survey, UCLA, and Northridge Archaeol Research Center, California State Univ, Northridge, supported by California Dept Parks and Recreation prior to inundation of site by waters of Castaic Dam. Subm by J E Ericson.

UCLA-1771A. Elderberry Canyon

 1720 ± 50

Marine shell (*Haliotis*) from W sidewall of Knoll (55/EO), 45 to 60cm depth. This sample (W66-1088) dates cairn and "central" cemetery area.

UCLA-1771B. Elderberry Canyon

 2040 ± 350

Bone collagen from very thick occipital region of human skull of unique, uncremated cairn burial, Unit H4, 135cm below surface. Sample dates burial and "early or middle" period of site occupation.

Ridge site series

Samples coll summer of 1973 during salvage excavations of Ridge site, SBCM-128, San Bernardino Co (34° 20′ N, 117° 26′ W) conducted by C White, Dept Anthropol, Univ California, Los Angeles, in conjunction with San Bernardino Co Mus; subm by J E Ericson. *Comment* (CW): for both samples, expected date was AD 500, based on bead chronology.

UCLA-1789A. Ridge site

 1440 ± 50

Charcoal from probable cooking area, N4/E4, subquad D, 30 to 40cm.

UCLA-1789B. Ridge site

 1960 ± 50

Charcoal from probable cooking area, N6/W8, 30 to 40cm.

UCLA-1794C. 4-Son-518

 120 ± 45

Charcoal from circular house pit of 4-Son-518 (38° 20' N, 122° 44' W). This sample dates appearance of cultural traits characteristic of Southern Pomo just prior to (or just after) arrival of Caucasian settlers. Sample coll 1973 by Ward Upson, Santa Rosa, California, under contract with Sonoma Co Water Agency; subm by J E Ericson.

Mostin site series

Series of human burials recovered in 1973 from test excavations of cemetery assoc with Paleo-Indian village of Mostin site, 4-Lak-380, formerly SDA-66 (39° N, 122° 50′ W) at depth 6m below present surface in lacustrine deposits, deposited during later high-level stage of Clear Lake, Lake Co (McNitt, 1968). Close proximity of site to Mt Konocti and Borax Lake obsidian sources (Meighan and Haynes, 1970) dates one of oldest examples of obsidian use known in America (Ericson and Berger, 1974). Subm by D Fredrickson, Sonoma.

1795A. Mostin

 $10,260 \pm 340$

Bone collagen from left fibula, 6m from left tibia, and diaphysis of right femur of human skeleton, Burial 4, below surface, assoc with seven analyzed obsidian artifacts (Ericson and Berger, 1974).

 9040 ± 210

1795B. Mostin

 $\delta^{13}C = -19.2\%$

Bone collagen from left and right femur of late adolescent human skeleton, Burial 1, tightly flexed, 6m below surface, assoc with seven analyzed obsidian artifacts (Ericson and Berger, 1974). Aspartic acid date for this skeletal sample was 8100 yr вр (Jeffrey Bada, pers commun). ¹³C/¹²C ratio indicates largely terrestrial diet of individual.

1795C. Mostin

 7750 ± 400

Bone collagen from right radius, right femur, left humerus of young adult (21 to 22 yr old) human skeleton, Burial 9, semi-flexed, to 6m below surface, assoc with seven analyzed obsidian artifacts. Aspartic acid date for this skeletal material was 10,500 yr BP (Jeffrey Bada, pers commun).

Stone Valley series

Samples coll 1962 during excavations of Stone Valley site, 4-CCo-308, Contra Costa Co (37° 51′ N, 122° 1′ W) by David Fredrickson, California State Coll, Sonoma, and subm by J E Ericson. This important series dates change in obsidian utilization (Fredrickson, 1969), derived almost in total from St Helena obsidian source in Napa Co (Jackson, 1975). Also dates Central California Horizon sequence in area.

UCLA-1786A. Stone Valley

 470 ± 120

Charcoal (Sample 1B) from human burial matrix, Burial 4 (matrix), 1.30m depth, assoc with Type 2a1 and 1a Olivella beads. *Comment* (DF): sample believed to date early Phase 1 of Central California's Late Horizon (ca < AD 300).

UCLA-1786B. Stone Valley

 2860 ± 120

Charcoal (Sample 2B) from human burial matrix, Burial 32 (matrix), 3.65m depth, assoc with quartz crystal, bone awl fragment, and chippedstone fragments. *Comment* (DF): sample believed to date middle of Central California's Middle Horizon (ca 2500 BP).

UCLA-1786C. Stone Valley

 2870 ± 240

Charcoal from deepest part of site, derived from human burial, Burial 3 (matrix), 6.20m depth, assoc with bone tool fragments and two projectile points. *Comment* (DF): sample believed to date early Middle Horizon of Central California, contemporaneous with late Early Horizon (ca > 3000 BP), date younger than expected when compared with UCLA-1786B.

UCLA-1792A. Stone Valley

 870 ± 50

Charcoal from site midden, M-1, 75 to 90cm depth. Comment (DF): sample believed to date early Phase 1 of Central California's Late Horizon (ca < AD 300).

UCLA-1792B. Stone Valley

 940 ± 50

Charcoal from site midden, M-1, 105 to 120cm depth. *Comment* (DF): sample believed to date early Phase 1 or Middle Horizon/Late Horizon Transitional Phase of Central California (ca AD 300).

UCLA-1792C. Stone Valley

 950 ± 50

Charcoal from site midden, M-1, 120 to 140cm depth. *Comment* (DF): sample believed to date beginning of early Phase 1 of Middle Horizon/Late Horizon Transitional Phase of Central California (ca AD 300).

UCLA-1792D. Stone Valley

 1190 ± 130

Charcoal from site midden, M-1, 165 to 180cm depth. Comment (DF): sample believed to date Middle Horizon/Late Horizon Transitional Phase of Central California (ca > AD 300).

UCLA-1792E. Stone Valley

 1250 ± 230

Charcoal from site midden, M-2, 3.6 to 3.8m depth. *Comment* (DF): sample should date middle of Central California's Middle Horizon (ca 2500 BP). Date is much too young; not consistent with remainder of dates from site.

UCLA-1792F. Stone Valley

 3130 ± 230

Charcoal from site midden, M-3, 4.1 to 4.3cm depth. *Comment* (DF): sample believed to date early portion of Central California's Middle Horizon; may be contemporaneous with late Early Horizon.

La Serena series

Samples coll 1962 during excavations of La Serena site, 4-CCo-30, Contra Costa Co (37° 50' N, 122° 1' W) by David Fredrickson, and subm

by J E Ericson. This series dates change in obsidian utilization (Fredrickson, 1969), derived almost totally from St Helena obsidian source in Napa Co (Jackson, 1975). Also dates Central California Horizon sequence in area. *Comment* (DF): major occupation of site was middle Phase 1, although some Phase 2, post AD 1500 occupation.

UCLA-1793A. La Serena

 440 ± 50

Charcoal from site midden, I-28, 45 to 60cm depth. Comment (DF): sample believed to date Phase 1 of Central California's Late Horizon (ca > AD 1500).

UCLA-1793B. La Serena

 590 ± 50

Charcoal from site midden, I-28, 90 to 105cm depth. Comment (DF): sample believed to date Phase 1 of Central California's Late Horizon (ca > AD 1500).

UCLA-1793C. La Serena

 370 ± 50

Charcoal from site midden, Q-40, 45 to 60cm depth. Comment (DF): sample should date Phase 1 of Central California's Late Horizon (ca > AD 1500), but may be from Phase 2 occupation.

UCLA-1793D. La Serena

 470 ± 50

Charcoal from site midden, Q-40, 90 to 105cm depth. Comment (DF): sample should date Phase 1 (ca > AD 1500), but may be from Phase 2 occupation.

UCLA-1853B. Houx

 680 ± 40

Charcoal from site midden, 4-Lak-261, SM-24, 45 to 60cm depth (38° 52′ N, 122° 36′ W). Sample coll during excavations in 1961 by D Fredrickson; subm by S DeAtley and F J Findlow. *Comment* (DF): sample believed to date North Coast Range equivalent to Central California's Middle Horizon (ca > AD 300). Some post-AD 1500 occupation of site on basis of clam-shell disk bead cross-dating.

Pocheco site series

Samples coll Spring 1973 during excavation of Pocheco site, 4-Mrn-152, Marin Co (37° 42′ N, 123° 32′ W) by C W Clewlow, Archaeol Survey, Inst Archaeol, Univ California, Los Angeles, and subm by J E Ericson. Comment (CWC): although dates were unexpectedly early, subsequent analysis of assoc materials confirmed Central California Early Horizon date. Samples probably represent burials, earliest known in Marin Co, California.

UCLA-1891A. Pocheco

 3270 ± 70

Bone collagen, derived from human bone, Burial 4, 3N/5W and 2N/5W, 85 to 90cm depth.

UCLA-1891B. Pocheco

 3050 ± 130

Bone collagen derived from human bones. Burial 5, 90cm depth.

"Tlotlic"-Cold Creek Canyon site series

Samples coll April 1973 during excavation of Cold Creek Canyon site, "Tlotlic" village, 4-Lak-153, Lake Co (39° 5′ N, 122° 32′ W) by R L Orlins, Univ California, Davis; subm by J E Ericson.

UCLA-1913A. Cold Creek Canyon

<300

Charcoal from site midden, Unit S12/E16, 20 to 30cm depth. Comment (RLO): expected date, 1000 BC; Houx Pattern of North Coast Range cultural sequence after Fredrickson (1973).

UCLA-1913B. Cold Creek Canyon

 620 ± 60

Charcoal from base of site midden, Unit S12/E16, 60 to 70cm depth. Comment (RLO): expected date, 3000-5000 BC; Borax Lake Pattern of North Coast Range cultural sequence after Fredrickson (1973).

4-Mad-179 series

Samples coll 1971 during excavations of Late Horizon/Protohistoric site, 4-Mad-179, Madera Co (37° 8′ N, 119° 52′ W) by E Gary Stickel, and members of Dept Anthropol, California State Univ, Long Beach, and subm by J E Ericson. Samples should date very late occupation of site.

UCLA-1920A. 4-Mad-179

 430 ± 110

Charcoal, House pit No. 15, 120 to 140cm depth.

UCLA-1920B. 4-Mad-179

 1000 ± 300

Charcoal, House pit No. 15, 140 to 160cm depth.

UCLA-1950. Peterson 2

 390 ± 90

Charcoal (Lowie Mus 1-80528) from Tr 1, Unit 3, 76cm depth. Coll 1948 during excavations of Peterson 2 site, 4-Sol-2, Solano Co (38° 15′ N, 121° 47′ W), by the late R F Heizer and members of Archaeol Field Method Class 195, Univ California, Berkeley; subm by J E Ericson.

North San Juan series

Samples coll Summer 1954 during excavations of North San Juan site, 4-Nev-15, Nevada Co (39° 22′ N, 121° 06′ W) by members of Anthropol Class S197, Univ California, Berkeley; subm by J E Ericson.

UCLA-1951A. North San Juan

 1950 ± 60

Charcoal (Lowie Mus 1-173143) from 16-SW-23, 30 to 60cm depth.

UCLA-1951B. North San Juan

 280 ± 40

Charcoal (Lowie Mus 1-172975) from 21-SE-27, 30 to 60cm depth.

Winslow Cave series

Samples coll April 1952 during excavations of Winslow Cave, 4-Cal-99, Calaveras Co (38° 09′ N, 120° 29′ W), by C W Meighan and M A Baumhoff, then students of Dept Anthropol, Univ California, Berkeley; subm by J E Ericson.

UCLA-1952A. Winslow Cave

 1620 ± 400

Bone collagen, extracted from faunal bones (Lowie Mus 1-139073), from Pit 3, surface to 15cm depth.

UCLA-1952B. Winslow Cave

 1200 ± 100

Bone collagen, extracted from faunal bones (Lowie Mus 1-139082), from Pit 3, 60 to 75cm depth.

UCLA-1953. Hotchkiss site

 350 ± 50

Charcoal (Lowie Mus 1-226900) from 1G-S5, 110 to 125cm depth, coll 1968-70 during excavations of Hotchkiss site, 4-CCo-138, Contra Costa Co (37° 57′ N, 121° 35′ W) by J A Bennyhoff and members of Anthropol Class 195, Univ California, Berkeley.

UCLA-1954. Snow Creek No. 5 site

 280 ± 60

Charcoal sample Pit 4, Feature 2, 20 to 40cm depth, assoc with hearth and milling slab, dating recent aboriginal occupation of site; coll during Sept 1974 excavation of Snow Creek No. 5 site, Mono Co (37° 38′ N, 188° 59′ W) by N Leonard, Univ California, Riverside. *Comment* (NL): expected Late Horizon date, after AD 1200.

UCLA-1955. Colville Rockshelter

 1910 ± 60

Charcoal (Lowie Mus 1-130644) from Unit C-8, 15 to 30cm depth, coll July 1951 during excavations of Colville Rockshelter, 4-Iny-222, Inyo Co (36° 45′ N, 177° 30′ W) by C W Meighan and M A Baumhoff.

UCLA-1957. Cottonwood

<300

Bone collagen, 15cm depth, extracted from faunal bones (Lowie Mus 1-202690), from Unit 5-LI; coll 1950-51 during excavations of Cottonwood site, 4-Iny-2, Inyo Co by Mr and Mrs H Riddell, Jr.

UCLA-1958. 4-Eld-44

 2150 ± 190

Bone collagen, extracted from faunal bones (Lowie Mus 1-197574) from Tr A, Sq 2, 30 to 60cm depth; coll March 1956 during excavations of 4-Eld-44, El Dorado Co (38° 42′ N, 120° 58′ W) by F A Riddell, Archaeol Survey, Univ California, Berkeley.

UCLA-1959. 4-Alp-7

 1090 ± 100

Charcoal (Lowie Mus 1-145132) from B-6, 0 to 30cm depth; coll Aug 1953 during excavations of 4-Alp-7, Alpine Co (38° 41′ N, 119° 46′ W) by A B Elsasser and staff of Archaeol Survey, Univ California, Berkeley. Subm by J E Ericson.

UCLA-1960. Bamert Cave

 440 ± 80

Charcoal (Lowie Mus 1-121013) from test pit, coll April 1950 during test excavation of Bamert Cave, 4-Ama-3, Amador Co (38° 15′ N, 120° 58′ W) by the late R F Heizer and A E Treganza, Archaeol Survey, Univ California, Berkeley. Subm by J E Ericson.

El Sobrante series

Samples coll 1951-52 during excavations of El Sobrante site, 4-CCo-151, Contra Costa Co (37° 58′ N, 122° 18′ W) by the late R F Heizer, C W Meighan, and members of Anthropol Class 195, Univ California, Berkeley. Subm by J E Ericson.

UCLA-1961A. El Sobrante

 1010 ± 130

Charcoal (Lowie Mus 1-210507) from B-4, 150cm depth, coll Spring 1951.

UCLA-1961B. El Sobrante

 1260 ± 110

Charcoal (Lowie Mus 1-211162) from J-7, 190cm depth, coll Spring 1952.

REFERENCES

- Ericson, J E, 1975, New results in obsidian hydration dating: World Archaeology, v 7, p 151-159.
- ms, 1977, Prehistoric exchange systems in California: The results of obsidian dating and tracing: unpub PhD dissert, Dept Anthropol, UCLA, 395 p.
- 1978, Obsidian hydration dating in California: Soc California Archaeol, no. 2, p 43-52.
- Ericson, J E and Berger, Rainer, 1975, Late Pleistocene American obsidian tools: Nature, v 249, p 824-825.
- Ericson, J E, Hagan, T A, and Chesterman, C W, 1976, Prehistoric obsidian sources in California I: Geological and geographical aspects, in Taylor, R E, ed, Advances in obsidian glass studies, Park Ridge, New Jersey, Noyes Press, p 218-239.
- Ericson, J. E., Makishima, A., MacKenzie, J. D., and Berger, Rainer, 1975, Chemical and physical properties of obsidian: A naturally occurring glass: Jour Non-Crystalline Solids, v 17, p 129-142.
- Fredrickson, D, 1969, Technological change, population movement, environment adaptation, and the emergence of trade: Inferences on culture change suggested by midden constituent analysis: UCLA Archaeol Survey ann rept, v 11, p 105-125.
- puter programs: Los Angeles, Univ California Press, p 391-439.
- Hayes, W C, 1962, Chronology: Egypt—to the end of the twentieth dynasty, in Edwards, I E S, Gadd, C J, and Hammond, N G L, eds, Cambridge Ancient History: Cambridge, Cambridge Univ Press, p 1-23.
- Jackson, D, 1975, Stepwise regression: BMDP2R, in Dixon, W J, ed, Biomedical computer programs: Los Angeles, Univ California Press, p 391-439.
- McNitt, J R, 1968, Geology of the Kelseyville quadrangle, Sonoma, Lake and Mendocino Counties: California Div Mines and Geol, map sheet no. 9.
- Meighan, C W and Haynes, C V, 1970, The Borax Lake site, revisited: Science, v 167, p 1213-1221.
- Singer, C A and Ericson, J E, 1977, Quarry analysis at Bodie Hills, Mono County, California: A case study, in Earle, T K and Ericson, J E, eds, Exchange systems in prehistory, New York, Academic Press, p 171-188.